
Albina & Globe 0027.PDF

ASSIGNMENT



RIDER TO BE ATTACHED TO AGREEMENT

L. D.		Audit No. 80497 C. D. No. 39770
		ROAD & NAVIGATION COMPANY COMPANY
		ic.
1	G	Name of assignee
(Covering tracks ge	Name of assignee
1	Location East Portland	
1	Dated April 13, 1953 Effective Date	April 13, 1953 Expiration (Original) Indefinite
1	Expiration (by latest extension)	
5	Supplements, including extension riders—Dates	None
	THIS AGREEMENT, made and entered into the	nis. 28th day of December, 1954, by and between
1	Kerr-Cifford & Co., Inc., an	Oregon corporation
here	einafter called "Assignor"), party of the first pa	
•		ware corporation

` 1	tion Company, an Oregon corpo	part, and Oregon-Washington Railroad & Naviga- oration, and its Leasee
		collectively alled "Railroad Company"), party of the third part,

WITNESSETH:

It is mutually covenanted and agreed by and between the parties hereto as follows:

- Section 1. The Assignor, for a valuable consideration, does hereby sell, assign, transfer and set over to the Assignee all of the Assignor's right, title and interest in and to the agreement above described.
- Section 2. The Assignee hereby accepts the above assignment and agrees to be bound by and to perform and observe fully and faithfully all of the covenants, stipulations and conditions contained in said agreement to be performed and observed by the Assignor and assumes all liabilities mentioned in said agreement to be assumed by the Assignor.
- Section 3. The Railroad Company, in consideration of the covenants and agreements of the Assignor and the Assignee herein contained, gives its consent to the aforesaid assignment; PROVIDED, however, that such consent shall not be deemed or construed to authorize any further assignment of said agreement, whether voluntary, by operation of law, or otherwise, without the consent in writing of the Railroad Company thereto first had and obtained; and PROVIDED, FURTHER, that, as between the Assignor and the Railroad Company, neither said assignment nor anything herein contained shall be construed as releasing the Assignor, in the event of default by the Assignee, from the obligation to perform all of the covenants contained in said agreement to be performed by the Assignor, or from any of the liabilities assumed by the Assignor under said agreement.

ffect as of the 31st	day
KERR-GIFFORD & CO., I	inc.
Fresident	Assignor.
CARGILL INCORPORATED	
H. Robert Diercks, View President	Assignee.
OREGON-WASHINGTON RAI	LROAD &
UNION PACIFIC RAILROA	D.COMPANY
•	KERR-GIFFORD & CO., I Maken Fresident CARGILL INCORPORATED H. Robert Diercks, Vice Fresident OREGON-WASHINGTON RAI NAVIGATION COMPANY

Albina & Globe 0028.PDF

RIDER TO BE ATTACHED TO AGREEMENT

ASSIGNMENT

refer to Dept.

No. 20799-

L. D. No. MDiv. NoAudit No. A-6h3h7 Dept. No. 207991	20799-8-1
CREGON-WASHINGTON RAILROAD & NAVIGATION COMPANY and UNION PACIFIC RAILRO Between COMPANY, corporations, (collectively called "Railroads")	AD
and KERR GIFFORD & CO., INC., an Oregon corporation, ("Licensee")	
Prior Assignments—Date January 28, 1955 Name of assignee GARGILL, INCORPORATED, a Date Name of assignee Delaware corporation	
Covering license to construct, maintain and use a private way for pedestrians, up and across the property and tracks of the Railroads	юn
Location Portland, Multnomah County, Oregon	
Dated May 10, 1948 Effective Date January 1, 1948 Expiration (Original) December	er 31,1952
Expiration (by latest extension) December 31, 1957	
Supplements, including extension riders—Dates Extension rider dated November 6, 1952 and	
aforesaid assignment dated January 28, 1955.	
THIS AGREEMENT, made and entered into this 30th day of Rovember , 1956 , by an	d between
CARGILL, INCORPORATED, a Delaware corporation,	
(hereinafter called "Assignor"), party of the first part,	
LEVAL & CO., INC., a New York corporation	
(hereinafter called "Assignee"), party of the second part, and CREGON-WASHINGTON RATIROAD & NAVIGAT	TON
COMPANY, an Oregon corporation, and UNION PACIFIC RAILROAD COMPANY, a corporation of the	he State
of Uteh (hereinafter called "Company"), party of the third part,	

WITNESSETH:

It is mutually covenanted and agreed by and between the parties hereto as follows:

Section 1. The Assignor, for a valuable consideration, does hereby sell, assign, transfer and set over to the Assignee all of the Assignor's right, title and interest in and to the agreement above described.

Section 2. The Assignee hereby accepts the above assignment and agrees to be bound by and to perform and observe fully and faithfully all of the covenants, stipulations and conditions contained in said agreement to be performed and observed by the Assignor and assumes all liabilities mentioned in said agreement to be assumed by the Assignor.

Section 3. The Company, in consideration of the covenants and agreements of the Assignor and the Assignee herein contained, gives its consent to the aforesaid assignment; PROVIDED, however, that such consent shall not be deemed or construed to authorize any further assignment of said agreement, whether voluntary, by operation of law, or otherwise, without the consent in writing of the Company thereto first had and obtained; and PROVIDED, FURTHER, that, as between the Assignor and the Company, neither said assignment nor anything herein contained shall be construed as releasing the Assignor and the Company the said assignment nor anything herein contained shall be construed as releasing the Assignor and the Company the said assignment as a supplied to the said assignment as a supplied to the said assignment.

(* · · · · · · ·

CARG003608

Section 4. This agreement	shall be considered as taking effect	t as of the 3186	day
to the Assignee, whicheve to the Assignee the said "Cargill Elevator North Holladay S March Holladay S Acceptant	, or on the date which the or date is later. In the e "Cargill Elevator" then the r" is located at the foot treet, Portland, Oregon.	Assignor conveys the "Car event that the Assignor do his Assignment is null and	void. Said Assigner Kull
Sumner B. You Salatant Secret		By Wiee Fresident	
••	Charles the grant	CRESCN-MASHINGTON RAIL	POAD &
Witness:	t i gasta telepula egiza i Matematika	NAVIGATION COMP UNION PACIFIC RAILROAD	ANY
		By D. F. Wen	gert
		General Ma	nager



ASSIGNMENT

M. Marie

Apuld refer to Dept., No. 20799-1

RIDER TO BE ATTACHED TO AGREEMENT

L. D. No. M	Div. No.	Audit No. A-54347. No. 20799;20799-A.	
OREGON-W	ASHINGTON RAILROAD & NAVIG	ATION COMPANY and UNION PACIFIC RAILROAD COMPANY, called "Railroads"),	
•	- ·	egon corporation, (Licensee).	
Prior Assign	nments—Date	Name of assignee	
	Date	Name of assignee	
	icense to construct, maint e property and tracks of t	ain and use a private way for pedestrians, upon and he Railroads,	
Location Po	rtland, Multnomah County,	Oregon.	
Dated May	10, 1948. Effective Date	January 1, 1948. Expiration (Original) December 31,19	52
Expiration (h	by latest extension). December 31	, 1957.	
••	- -	extension rider dated November 6, 1952.	
THIS AGRE	EEMENT, made and entered into thi	day of January, 19 55, by and between corporation,	
	d "Assignor"), party of the first par		
CARGILL,	INCORPORATED, a Delaware o	orporation,	
	$^{\prime}$ N $_{\odot}$		
COMPANY.	d "Assignee"), party of the second p	art, and OREGON-WASHINGTON RATIROAD & NAVIGATION of Oregon, and UNION PACIFIC RATIROAD	
		ctively	
of Utah.	(hereinafter/ca	led "Railroad Company"), party of the third part,	
WITNESSETH:			

It is mutually covenanted and agreed by and between the parties hereto as follows:

Section 1. The Assignor, for a valuable consideration, does hereby sell, assign, transfer and set over to the Assignee all of the Assignor's right, title and interest in and to the agreement above described.

Section 2. The Assignee hereby accepts the above assignment and agrees to be bound by and to perform and observe fully and faithfully all of the covenants, stipulations and conditions contained in said agreement to be performed and observed by the Assignor and assumes all liabilities mentioned in said agreement to be assumed by the Assignor.

Section 3. The Railroad Company, in consideration of the covenants and agreements of the Assignor and the Assignee herein contained, gives its consent to the aforesaid assignment; PROVIDED, however, that such consent shall not be deemed or construed to authorize any further assignment of said agreement, whether voluntary, by operation of law, or otherwise, without the consent in writing of the Railroad Company thereto first had and obtained; and PROVIDED, FURTHER, that, as between the Assignor and the Railroad Company, neither said assignment nor anything herein contained shall be construed as releasing the Assignor, in the event of default by the Assignee, from the obligation to perform all of the covenants contained in said agreement to be performed by the Assignor, or from any of the liabilities assumed by the Assignor under said agreement.

Section 4. This agreement shall be considered as taki	ing effect as of the 31.60day
of October , 19.54.	
Attest: Secretary	EV Howard Presidents
Albert G. Parmismen, Secretar Secretary	RY ESTATE E. Roles, Vice Resident summer.
	CREGON-WASHINGTON RAILROAD & NAVIGATION COMPANY
Witness:	UNION PACIFIC RATIROAD COMPANY
-3/tolloway	Beneval Manager

Albina & Globe 0029.PDF

ASSIGNMENT

No. 23318-

RIDER TO BE ATTACHED TO AGREEMENT

L. D. No. M	Div. No.	Audit No.	3618 No	23318; 23318-1
	ON-MASHIMOTOM RATIROAD & MA ANY, corporations, (collect			RAILROAD
and KERR	GIFFORD & CO. INC., an Ore	gen corporation,	("Lessee")	
Prior Assignmen	nts-Date January 28, 1955	_ Name of assignee_	CARGILL, INCORPORT	TED, a
	Date	_ Name of assignee_	Delaware corporat:	lon
Covering a pi	pe line, three (3) inches i	in dismeter, for	sonveying water	
• • • •			-	
Location Port	land, Hultnomah County, Ore	gon		
Dated Novemb	er 26,1951 Effective Date Nove	mber 26, 1951	Expiration (Original)	On potice
Expiration (by la	atest extension)			
	cluding extension riders—Dates		nt dated January 2	3, 1955
Suppromonio, in				Ç
THIS AGREEM	ENT, made and entered into this	Oth day of	ovember 19 \$	by and between
CARCELLAND LB	CORPORATED, a Delaware corp	bols eton		
(hereinafter called "	Assignor"), party of the first part,			
INVAL & CO.	, INC., a New York corporat	tion		
2.5				
(1	A:		THE SALE OF THE SA	
* *,	Assignee"), party of the second part	,		
COMPANY, an	Oregon corporation, and UN	ION PACIFIC RAILS	OAD COMPANY, a corpora	ation of the State
of Utah	(hereinafter called	L"Company") porty of	the third nart	
JI. WHEN		company), party or	me mnu pari,	

WITNESSETH:

It is mutually covenanted and agreed by and between the parties hereto as follows:

Section 1. The Assignor, for a valuable consideration, does hereby sell, assign, transfer and set over to the Assignee all of the Assignor's right, title and interest in and to the agreement above described.

Section 2. The Assignee hereby accepts the above assignment and agrees to be bound by and to perform and observe fully and faithfully all of the covenants, stipulations and conditions contained in said agreement to be performed and observed by the Assignor and assumes all liabilities mentioned in said agreement to be assumed by the Assignor.

Section 3. The Company, in consideration of the covenants and agreements of the Assignor and the Assignee herein contained, gives its consent to the aforesaid assignment; PROVIDED, however, that such consent shall not be deemed or construed to authorize any further assignment of said agreement, whether voluntary, by operation of law, or otherwise, without the consent in writing of the Company thereto first had and obtained; and PROVIDED, FURTHER, that, as between the Assignor and the Company, neither said assignment nor anything herein contained shall be construed as releasing the Assignor, in the contained shall be construed as releasing t

(AR6. LL

Section 4. This agreement shall be considered as taking effect as	s of the 31.5t	day
of Alexander 1956, or on the date which the to the Assignse, whichever date is later. In the event of the Assignse the said "Cargill Elevator" then this "Cargill Elevator" is located at the foot of Attest: North Holladay Street, Portland, Oregon.	ent that the Assignor does Assignment is null and CARGILL, INCORPORATED,	s not convey void. Said
Assistant Secretary Summer B. Young, Assistant Secretary	Vice President H. Robert Diercks, Vice Pres	dent
Attest Day a Day	LEVAL & CO., INC., ASSI	grade
Assistant Secretary	mag The Total	
 *** The second of the second of		
grand the state of the approximation of the state of the	OREGON-MASHINGTON RAILR NAVIGATION COMPA	
Witness:	UNION PACTUIC BAILBOAD	COMPANY
	By D. F. Wear	fert
	General Mar	DAger
~ <i>w</i>		

ASSIGNMENT (More 233/8-1

RIDER TO BE ATTACHED TO AGREEMENT

L. D. No. M.	Div. No	Audi	No. 4-70418.	No	23318.
OREGON-WASHING	TON RAILROAD & HAVI	GATION COMPA	ANY and UNION	PACIFIC RAILRO	AD COMPANY,
	D & CO. INC., an Or				
	-Date Kone.				
	Date	Name	of assignee		
Covering a pipe	line, three (3) in	nches in dist	ester, for con	veying water,	
Location Portla	and, Hultmomah Count	by, Oregon.			
Dated November	26,1951. Effective Date.	Hovember 2	5 ,1951. E	xpiration (Original)	On notice.
Expiration (by latest	t extension)	·····		•••••	
Supplements, includi	ing extension riders—Dates	None.			······································
THIS AGREEMEN	T, made and entered into (this	day of	BHART , 19. S	, by and between
IERR GIFFORD &	co. Inc. an Orego	on corporati	on	.:	
	gnor"), party of the first p				
CARCILL, INCOR	PORATED, a Delaware	corporation	L ,	•••••	
	:				
COMPANY, a con	gnee"), party of the second rporation of the Sta	l part, and CRES	n, and UNION P	RAILROAD & MAGIFIC RAILROA	AVIGATION AD
······································	oollos	etively	saaaaCO	MPANY, a corpor	ition of the State
of Itah ,	(hereinafter	alled "Railroad	Company"), party	of the third part,	

WITNESSETH:

It is mutually covenanted and agreed by and between the parties hereto as follows:

Section 1. The Assignor, for a valuable consideration, does hereby sell, assign, transfer and set over to the Assignee all of the Assignor's right, title and interest in and to the agreement above described.

Section 2. The Assignee hereby accepts the above assignment and agrees to be bound by and to perform and observe fully and faithfully all of the covenants, stipulations and conditions contained in said agreement to be performed and observed by the Assignor and assumes all liabilities mentioned in said agreement to be assumed by the Assignor.

Section 3. The Railroad Company, in consideration of the covenants and agreements of the Assignor and the Assignee herein contained, gives its consent to the aforesaid assignment; PROVIDED, however, that such consent shall not be deemed or construed to authorize any further assignment of said agreement, whether voluntary, by operation of law, or otherwise, without the consent in writing of the Railroad Company thereto first had and obtained; and PROVIDED, FURTHER, that, as between the Assignor and the Railroad Company, neither said assignment nor anything herein contained shall be construed as releasing the Assignor, in the event of default by the Assignee, from the obligation to perform all of the covenants contained in said agreement to be performed by the Assignor, or from any of the liabilities assumed by the Assignor under said agreement.

Section 4. This agreement shall be considered as taking effect	t as of the day
of Cotober, 19.5k.	
Attacts Landinld Speretary	By Mosker Provident
Attests	CARGILL, INCORPORATED, Assignee,
Albert G. Egermayer, Socretary	Erwin E. Kelm, Vace President
Athent G. Egermayer, Secretary.	
	CREGON-WASHINGTON RAILROAD & NAVIGATIO
Witness:	UNION PACIFIC RAILRGAD COMPANY
Gt Holloway.	By Malente

Albina & Globe 0030.PDF





RIDER TO BE ATTACHED TO AGREEMENT

L. D. No. M	Div. No	Audit No. A-K	3850 D	Pt No. 23319123319-4-1
ORIDO	EN-MASHINGTON MAILROAD & I	NAVIGATION COMPANY	and UNION	
	CIFFORD & CO. INC., an O		_)#)
•	nts—Date January 28, 1955	Name of assignee_	CAROILL, 1	INCORPORATED, a
1	Date	_	Delaurre c	porporation
Covering prive	ate roadway and road cross			
Dated November	land, Multnemah County, On or 11,1951 Effective Date Con atest extension) October 8, 3	tober 9, 1951	Expiration	n (Original) October 8, 195 0
	cluding extension riders—Dates_		ted August	15. 1956 and
	seignment dated January 2			``
(hereinafter called "A	Assignor"), party of the first part,			
Turkuma, tega				<u> </u>
(hereinafter called "A	Assignee"), party of the second pa	ort, and CRECON-MASH	INITON RAII	ROAD & NAVISATION
COMPANY, an	Oregon corporation and UN	ION PACIFIC RAILRO	AD COMPANY	_, a corporation of the State
of Ilkah	(hereinafter calle	ed "Company"), party of	the third part	,
WITNESSETH:				
It is mutually co	venanted and agreed by and betw	reen the parties hereto as	s follows:	
Section 1. The all of the Assignor's	Assignor, for a valuable consideraright, title and interest in and to t	ation, does hereby sell, a he agreement above desc	ssign, transfer cribed.	r and set over to the Assignee
fully and faithfully all	Assignee hereby accepts the above of the covenants, stipulations and assumes all liabilities mentioned	conditions contained in sa	aid agreement	to be performed and observed

Section 3. The Company, in consideration of the covenants and agreements of the Assignor and the Assignee herein contained, gives its consent to the aforesaid assignment; PROVIDED, however, that such consent shall not be deemed or construed to authorize any further assignment of said agreement, whether voluntary, by operation of law, or otherwise, without the consent in writing of the Company thereto first had and obtained; and PROVIDED, FURTHER, that, as between the Assignor and the Company, neither said assignment nor anything herein contained shall be construed as releasing the Assignor, in the event of default by the Assignee, from the obligation to perform any of the Assignor that the contained in said agreement.

Assignor and the Company, neither said assignment nor anything herein contained shall be construed as releasing the Assignor, in the Assignor, in the hasignee, from the obligation to perform any of the Assignor that any obligations which may have accrued or liabilities accrued, or otherwise, which may risen before said Assignment.

LEVHL

Section 4. This agreement shall be considered as taking effect as	s of the day
of December , 1956 or on the date which the A to the Assignee, whichever date is later. In the event to the Assignee the said "Cargill Elevator" then this wants "Cargill Elevator" is located at the foot of Attest: North Holladay, Street, Portland, Oragon. Assix and Secretary Summer B. Young, Assistant Secretary	s Assignment is null and void. Said
Assistant Secretary	Ry President Assigned
Witness:	CREGON-MASHINGTON RAILROAD & HAVIGATION COMPANY UNION PACIFIC RAILROAD COMPANY
MEthomas	By President

SSIGNMENT

RIDER TO BE ATTACHED TO AGREEMENT

L. D. No. M Div. No	Audit No. A-70850
	COMPANY and UNION PACIFIC RATLEGAD COMPANY,
and MERR GIFFORD & CO. INC., an Oregon	corporation, (Licensee).
Prior Assignments-Date	Name of assignee
Date	Name of assignee
Covering private roadway and road crossing	gs,
Location Portland, Multnomah County, Oreg	çon.
Dated November 11, 1951 Effective Date Octob	er 9, 1951. Expiration (Original) October 8,1956.
Expiration (by latest extension)	· · ·
Supplements, including extension riders—Dates	1.
THIS AGREEMENT, made and entered into this	28th day of January, 19.55, by and between
KERR GIFFORD & CO. INC., an Oregon corpo	eration,
(hereinafter called "Assignor"), party of the first part,	
CARGILL, INCORPORATED, a Delawaje corpor	estion,
post of the second second	
(hereinafter called "Assignee"), party of the second part, ar COMPANY, a corporation of the State of C	
collectivel of Utah. (hereinafter/called "l	y
WITNESSETH:	

It is mutually covenanted and agreed by and between the parties hereto as follows:

Section 1. The Assignor, for a valuable consideration, does hereby sell, assign, transfer and set over to the Assignee all of the Assignor's right, title and interest in and to the agreement above described.

Section 2. The Assignee hereby accepts the above assignment and agrees to be bound by and to perform and observe fully and faithfully all of the covenants, stipulations and conditions contained in said agreement to be performed and observed by the Assignor and assumes all liabilities mentioned in said agreement to be assumed by the Assignor.

Section 3. The Railroad Company, in consideration of the covenants and agreements of the Assignor and the Assignee herein contained, gives its consent to the aforesaid assignment; PROVIDED, however, that such consent shall not be deemed or construed to authorize any further assignment of said agreement, whether voluntary, by operation of law, or otherwise, without the consent in writing of the Railroad Company thereto first had and obtained; and PROVIDED, FURTHER, that, as between the Assignor and the Railroad Company, neither said assignment nor anything herein contained shall be construed as releasing the Assignor, in the event of default by the Assignee, from the obligation to perform all of the covenants contained in said agreement to be performed by the Assignor, or from any of the liabilities assumed by the Assignor under said agreement.

Section 4. This agreement shall be considered as taking effect of	t as of the 31st day
Secretary	RERR GIFFORD & CO. INC., Assignor, By President
Attests Oldand G. Egermany Secretary	CARGILL, INCORPORATED, Assignee, By Source President Erwin E. Helm, Vice President
Witness:	OREGON-WASHINGTON RATIROAD & NAVIGATION COMPANY UNION PACIFIC RAILROAD
McThomas.	By Al Lynch

EXTENSION RIDER 233

To attached to agreement Audit No. A-70850	Dept No. 23319;23319-1
OREGON-WASHINGTON RATIFICAD & NAVIGATION Between corporations, (collectivaly cal	COMPANY and UNION PACTFIC RATLECAD COMPANY,
	orporation, (Licensee),
	eCARGILL, INCORPORATED, a Delaware corporation,
	98
Covering private roadway and road crossi	ng
Location Portland, Multnomah County, Ore	g on
Dated November 14, 1951 Effective Date Octobe	r 9, 1951 Expiration (Original) October 8, 1956
Expiration (by latest extension)	
Supplements, including extension riders—Dates	foresaid assignment dated January 28, 1955
term thereof shall be, and is hereby, extended to and inclu- and conditions thereof, as heretofore (if supplements to the provisions are written below) amended, shall remain in fu	tween the present parties to the above named agreement that the ding October 8, 19 61, and that all the terms e original agreement are indicated above) or herein (if any special all force and effect during the extended term, said agreement with a termination prior to the expiration of the extended term in the o the expiration of the term hereby extended.
Special Provisions: None	
Array of the state	· .
Dated August 15, 19 56 M	ade in duplicate. CREGON-WASHINGTON RAILROAD & NAVIGATION COMPANY
WIRESAN	UNION PACIFIC RAILROAD COMPANY
	By Vice President
WESTEX,	CARGILL, INCORPORATED,
Taday Ill allen	By D. Wheel Such
	Vice President
	Attest: Whald & Leun
	Asst. Secretary

Albina & Globe 0038.PDF

HART, SPENCER, McCULLOCH, ROCKWOOD AND DAVIES

Law Offices
1410 Yeon Building

Portland 4, Oregon

January 27, 1954

Mr. Donald C. Levin, Legal Department, Cargill, Incorporated, 200 Grain Exchange, Minneapolis 15, Minnesota.

Dear Mr. Levin:

Re: Kerr Gifford & Co., Inc. Properties

I enclose herewith title insurance policies issued by Common-wealth, Inc., covering the Kerr Gifford land in Oregon. My reference numbers are to the items so numbered in my letter of January 5, 1954, to Commonwealth, Inc., a copy of which was sent to you:

- 1. **
- 2. * *
- 3. * *
- h. * *
- 5. **
- 6. * *
- 7. * *
- 8. * *
- 9. **

For items 2, 3 and 4 in my letter of January 5, covering the Albina Dock, we have not secured title insurance. These are the parcels which were the subject of your letter to me of January 11 wherein you told me that your company had approved the sale by Kerr Gifford of these parcels to Mr. McDonald.


As far as I am aware this completes the assignment which you gave/me relating to Kerr Gifford titles to Oregon property. Should I now send you

a bill for our services and the disbursements consisting almost entirely of the premiums paid on the new title insurance.

Very truly,

Fletcher Rockwood

Albina & Globe 0032.PDF



Albina & Globe 0033.PDF

October 16, 1956

Mr. Fletcher Reckwood Spencer, McCulloch, Rockwood & Davies Attorneys at Law 1410 Yeon Building Portland h. Oregon

Bear Mr. Rockwood:

In the course of our telephone conversation of last week, you recommended that in the contemplated sale of the Cargill Blevator at Portland, the buyer be furnished with Title Insurance Pelicies rather than an Abstract of Title. We have now been informed that the buyer is agreeable to such a plan. The buyer is Leval & Co., Inc.

The legal description of the property involved is as follows:

All those parts of Block thirty-five (35) of WHEELER'S ADDITION TO THE CITY OF EAST FORTLAND, now a part of the City of Portland, described as follows: Commencing at a point on the Bast line of said Block 35, that is 72 feet distant Northerly from the intersection of said East line produced Southerly, with the South line of N. Pacific Street; thence North 57044 West along a straight line which forms an angle of \$6001 from North to Northwest with said East line of Block 35 a distance of 166.10 feet to a point in the Southeasterly line of that certain parcel of land heretofore conveyed to the Oregon Railway and Navigation Company by the Gregon and California Railroad Company by Deed dated December 5, 1887, recorded in Book 100, page 37, Deed Records of Multnomah County; thence South 17 12 10 West along the Easterly line of said parcel of land conveyed to the Oregon Railway and Navigation Company by said Deed dated December 5, 1887, a distance of 12.36 feet to the point of beginning of the parcel of land hereby conveyed; thence North 45043 West a distance of 12 feet; thence North 54021; West a distance of 12 feet; thence North 58005' West a distance of 14 feet; thence North 58056 West a distance of 12.7 feet; thence South 47012'40" West a distance of 123.6 feet to a point on Harbor Line on the East side of the Willsmette River; thence South 3hol3' East along said

Harbor Line a distance of 50.05 feet to a point in the Southeasterly line of said parcel of land, heretofore referred to, conveyed to said Pregon Railway and Navigation Company by the Pregon and California Rail-road Company by said Deed dated December 5, 1887; thence North h70121h0" East along the Southeasterly line of said parcel of land conveyed by said Deed dated December 5, 1887 a distance of lhl.3 feet to the point of beginning; subject, however to the public rights of navigation and fishing, and to the rights of the State of Pregon in and to that portion thereof lying below low water mark of the Willamette River; excepting and excluding any improvements and structure thereon not owned by the Railroad Company; in the City of Portland, County of Multnomah and State of Oregon.

Commencing at the point of intersection of the center lines of North Williams Avenue with North Holladay Street in the City of Portland; thence West along the center line of said North Holladay Street a distance of 762.3 feet to a point; thence South at right angles from the center line of said North Holladay Street a distance of 276.6 feet to a point in the Easterly Harbor Line of the Willamette River, last described point being the actual point of beginning of the parcel of land to be described; thence North 340131, West a long said Harbor Line a distance of 39.h3 feet to a point in the Southeasterly line of that percel of land as described in that certain indenture between Oregon and California Railroad Company and Oregon Railway and Navigation Company dated December 5, 1887, recorded in Deed Records 100, page 37, Records of the County of Multnomah; thence Worth 47012'40" East along the said Southeasterly line of the parcel of land as described in the last mentioned indenture a distance of 153.66 feet to a point in the Southwesterly line of that certain parcel of land as fourthly conveyed by the Gregon and California Railroad Company to the Northern Pacific Terminal Company by that certain indenture dated Movember 22, 1884, recorded in Deed Records 95, page 92, Records of Multnemah County; thence South 570 hit hast along the said Southwesterly line of that percel of land described in the last mentioned indenture, a distance of 146.10 feet to a point, in the West line of North Crosby Avenue, distant 178.0 feet Southerly along the said West line of Worth Crosby Avenue from the intersection of the said West

line of North Crosby Avenue with the Southerly line of North Holladay Street; thence South 0017' West along the said West line of North Crosby Avenue, a distance of 72.0 feet to the point of intersection of the said West line of North Crosby Avenue with the South line of North Pacific Street; thence South 890h3' East alone the said South line of North Pacific Street, a distance of 116.0 feet to a point distant 144.00 feet Westerly along the said South line of North Pacific Street from the intersection of the last mentioned line with the West line of North Larrabee Avenue; thence South 53°06'15" Bast a distance of 179.40 feet to a point in the West line of Morth Larrabee Avenue distant Southerly along said West line of North Larrabee Avenue, 107.0 feet from the last described intersection of said West line of North Larrabes Avenue with the said South line of North Pacific Street; thence South 0017' West along the said West line of North Larrabee Avenue a distance of 143.0 feet to the point of intersection of the said West line of North Larrabee Avenue with the South line of North Oregon Street; thence South 89043' Mest along the said South line of Morth Oregon Street a distance of 13.97 feet to a point that is distant 50.0 feet Westerly, measured radially from the common center line between the Northerly double-track railroad as now constructed on the ground; thence Southwesterly on the arc of a curve to the right, parallel to the last mentioned center line between said double tracks, having a radius of 308.39 feet, an arc distance of 180.52 feet (the chord of said curve bears South 31050'50" West a distance of 177.94 feet) to a point in the said Harbor Line: thence North 13022'30" West along said Harbor Line a distance of 571.66 feet to the point of beginning; in

Enclosed you will find Title Insurance Policies governing the parcels of land to be sold. You will note that one was issued to the Saint Paul-Mercury Indemnity Company; this Policy, I believe, was produced by Kerr Gifford & Co. Inc.

the City of Portland, County of Multnomah and State of

The property should be insured for a total amount of \$475,000.00 which represents the purchase price. As there is some degree of urgency about this matter, anything you can do to expedite the handling of this matter would be sincerely appreciated.

Very truly yours,

John F. MoGrory

JFM:aj oil enc: Albina & Globe 0036.PDF

KOERNER, YOUNG, MCCOLLOCH & DEZENDORF

800 PACIFIC BUILDING
PORTLAND 4, OREGON
BEACON 8191

DEY, HAMPSON & NELSON
1918 - 1943
HAMPSON, KOERNER, YOUNG & SWETT
1944 - 1947
KOERNER, YOUNG, SWETT & MCCOLLOCH
1948 - 1950

ANDREW KOERNER
CLARENCE J. YOUNG
FRANK C. MCCOLLOCH
JAMES C. DEZENDORF
FRANK H. SPEARS
JOHN GORDON GEARIN
WILLIAM F. LUBERSKY
HARRY J. DEFRANCO
GEORGE B. CAMPBELL
EDWIN L. GRAHAM
JOHN P. BLEDSOE
JAMES D. TREDUP
HERBERT H. ANDERSON
OGLESBY H. YOUNG
WILLIAM J. MOSHOFSKY
JAMES H. CLARKE
WAYNE HILLIARD
JOSEPH LARKIN
JAMES R. BJORGE
JAMES C. INGWERSEN

February 21, 1955

AIRMAIL

Mr. William Merlin, Cargill, Incorporated, 200 Grain Exchange Building, Minneapolis 15, Minnesota.

Dear Bill:

Re: Kerr Gifford & Co. Inc.

I wish to acknowledge receipt of your letter of February 17, 1955 and the instruments transmitted with that letter.

The instruments mentioned under Item 1 have been returned to Southern Pacific Company with the request that they be changed to reflect a transfer to Kerr Gifford & Co. Inc. of California. The instruments mentioned under Items 2 and 3 have been transmitted to the office of the Union Pacific Railroad Company in Portland, Oregon with the request that they be executed on behalf of the railroad company and a fully executed copy returned to us. We have presented the question of the addition to the agreement of January 4, 1955.

As to the last paragraph of your letter, I wish it understood that I accept full responsibility on the legal side for any error in purporting to convey to Cargill, Incorporated any property previously conveyed to James McDonald and A. H. Gattie. I made independent inquiry in the Portland office with respect to these two parcels but as stated in my letter of February 8, 1955, I did not attempt to verify the information so acquired by checking the records in the County Assessor's office.

In accordance with your request I am returning the list, which I understand you prepared and which is entitled "Kerr Gifford Dock and Elevator, Foot of North Holladay Street, Portland, Oregon". I was not supplied with a separate list designated "Albina Dock". I believe the items involved are

Mr. William Merlin, Cargill, Incorporated, February 21, 1955 Page 2

Items 13 and 14 which at one time were "in Rockwood's office". Item 13 undoubtedly is the parcel which is now a part of the "Kerr Gifford Dock and Elevator" upon which certain "grain bins" are situated and which apparently was previously covered by a lease from the Union Pacific Railroad Company dated May 15, 1942 (Item 9 on your list). Item 14 is undoubtedly the two parcels constituting what is known as the "Albina Dock".

I have discussed with Mr. Koerner the fact that the small parcel (presumably Item 13 of your list) was included in the deed of December, 1953 to James McDonald and A. H. Gattie. He informed me that the descriptions of the Albina Dock were supplied to him by Mr. Platt and that he also did not verify the same by checking the County Assessor's records. We have not as yet received the deed executed by Mr. and Mrs. McDonald and Mr. and Mrs. Gattie, but we expect to receive the same in the near future.

Very truly/yours

cc - train mail

Enclosure

Albina & Globe 0037.PDF

· Bill Merlin ·

KOERNER, YOUNG, MCCOLLOCH & DEZENDORF ATTORNEYS AT LAW

800 PACIFIC BUILDING PORTLAND 4, OREGON BEACON 8191

DEY, HAMPSON & NELSON 1918 - 1943 HAMPSON, KOERNER, YOUNG & SWETT 1944 - 1947 KOERNER, YOUNG, SWETT & MCCOLLOCH 1948 - 1950

February 8, 1955

AIRMAIL

ANDREW KOERNER
CLARENCE J. YOUNG
FRANK C. MCCOLLOCH
JAMES C. DEZENDORF
FRANK H. SPEARS
JOHN GORDON GEARIN
WILLIAM F. LUBERSKY
HARRY J. DEFRANCO
GEORGE B. CAMPBELL
EDWIN L. GRAHAM
JOHN P. BLEOSOE
JAMES D. TREDUP
HERBERT H. ANDERSON
OGLESBY H. YOUNG
WILLIAM J. MOSHOFSKY
JAMES H. CLARKE
WAYNE HILLIARD
JOSEPH LARKIN
JAMES R. BJORGE
JAMES C. INGWERSEN

Mr. Don Levin, Cargill, Incorporated, 200 Grain Elevator Building, Minneapolis, Minnesota.

Re: Kerr Gifford & Co. Inc.

Dear Don:

We have encountered our first error in the transfer of assets from Kerr Gifford & Co. Inc. to Cargill, Incorporated. There was executed and recorded a deed from Kerr Gifford & Co. Inc. to Cargill, Incorporated, dated November 12, 1954, recorded January 28, 1955 in Book 1702 at page 539, Deed Records, Multnomah County, Oregon, covering two parcels of real property. It developed that these two parcels of real property constituted what is known as the "Albina Dock" and the parcels had been conveyed by Kerr Gifford & Co. Inc. to James McDonald and A. H. Gattie in December of 1953.

I have consequently prepared and I am transmitting herewith the original and a copy of a quitclaim deed from Cargill, Incorporated to Kerr Gifford & Co. Inc. covering these two parcels. It is requested that you have the original executed on behalf of Cargill, Incorporated and return the same to me for recording so that the "cloud" on the title of Messrs. McDonald and Gattie will be removed.

It is perhaps fortunate that this occurred, because in investigating the matter, including the maps in the County Assessor's Office, I found that there was included in the deed to James McDonald and A. H. Gattie a parcel of real property which was not intended to be conveyed to them. This is a small parcel adjoining the Kerr Gifford elevator upon which are situated four grain bins. Originally the land was leased from the Union Pacific Railroad Company and was subsequently purchased. I have discussed this matter with Mr. McDonald and he seems to agree that there was an error and has expressed a willingness to quitclaim this parcel back to Kerr Gifford & Co. Inc. I am transmitting herewith a copy of the quitclaim

Mr. Don Levin, Cargill, Incorporated February 8, 1955 Page 2

deed which has been submitted to Mr. McDonald.

It perhaps would be advisable to also remedy this error insofar as the folder entitled "Kerr Gifford Elevator, Portland, Oregon" is concerned. The title evidence and other documents relating to these two parcels constituting the "Albina Dock" should be removed from that folder.

We, of course, regret this error but at the time we felt it was not necessary to verify Kerr Gifford's records against the records in the Assessor's Office.

Enclosures

cc - train mail

cc - Kerr Gifford & Co. Inc.

Albina & Globe 0040.PDF

BOOK 1714 PAGE 382

, , ; -

KNOW ALL MEN BY THESE PRESENTS, That JAMES McDONALD and ANNE McDONALD, husband and wife, and A. H. GATTIE and IVA GATTIE, husband and wife, in consideration of One Dollar (\$1.00) to them paid by KERR GIFFORD & CO. INC., a corporation, do hereby remise, release and forever quitclaim unto the said Kerr Gifford & Co. Inc., its successors and assigns, all their right, title and interest in and to the following described real property, with the tenements, hereditaments and appurtenances, situated in the County of Multnomah, State of Oregon, bounded and described as follows:

All those parts of Block thirty-five (35) of WHEELER'S ADDITION TO THE CITY OF EAST PORTLAND, now a part of the City of Portland, described as follows: Commencing at a point on the East line of said Block 35, that is 72 feet distant Northerly from the intersection of said East line produced Southerly, with the South line of N. Pacific Street; thence North 57°44' West along a straight line which forms an angle of 58°01' from North to Northwest with said East line of Block 35 a distance of 146.10 feet to a point in the Southeasterly line of that certain parcel of land heretofore conveyed to the Oregon Railway and Navigation Company by the Oregon and California Railroad Company by Deed dated December 5, 1887, recorded in Book 100, page 37, Deed Records of Multnomah County; thence South 47°12'40" West along the Easterly line of said parcel of land conveyed to the Oregon Railway and Navigation Company by said Deed dated December 5, 1887, a distance of 12.36 feet to the point of beginning of the parcel of land hereby conveyed; thence North 54°21' West a distance of 12 feet; thence North 58°05' West a distance of 12.7 feet; thence North 58°05' West a distance of 12.7 feet; thence South 47°12'40" West a distance of 12.3.6 feet to a point on Harbor Line on the East side of the Willamette River; thence South 34°13' East along said Harbor Line a distance of 50.05 feet to a point in the Southeasterly line of said parcel of land, heretofore referred to, conveyed to said Oregon Railway and Navigation Company by the Oregon and California Railroad Company by said Deed dated December 5, 1887, a distance of 141.3 feet to the point of beginning; subject, however to the public rights of navigation and fishing, and to the rights of the State of Oregon in and to

BOOK 1714 PAGE 383

that portion thereof lying below low water mark of the Willamette River;

SUBJECT TO: Reservation for minerals and mineral rights as set forth in deed from Union Pacific Railroad Company to Kerr Gifford & Co. Inc. recorded June 23, 1948 as Instrument No. 26994.

TO HAVE AND TO HOLD the same unto the said Kerr Gifford & Co. Inc., its successors and assigns, forever.

IN WITNESS WHEREOF, we have hereunto set our hands and seals this ______day of February, 1955.

Que Ver McDonael (SEAL)

Althatti (SEAL)

Dua gattie (SEAL)

STATE OF OREGON) :ss County of Multnomah)

BE IT REMEMBERED that on this and for said County and 1955, before me, a Notary Public in and for said County and State, personally appeared the within named JAMES McDONALD and ANNE McDONALD, husband and wife, and A. H. GATTIE and IVA GATTIE, husband and wife, who are known to me to be the identical individuals described in and who executed the within instrument and acknowledged to me that they executed the same freely and voluntarily.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year last above written.

Notary Public for Oregon.

My commission expires: Oct 24, 1918

(SEAL) DOCUMENT /533/ RECORDED MAR 30 1955 3.45 PM SI COHN. County Clock

QUIT CLAIM DEED

James McDonald and Anne McDonald, husband and wife, and A. H. Gattie and Iva Gattie, husband and wife,

Kerr Gifford & Co. Inc., a corporation

STATE OF OREGON,

County of Multnomah I, Si Cohn, County Clerk, and ex-officio Recorder of Conveyances, in and for said County, do hereby certify that the within instrument of writing was received for record and recorded in the record

of said County at

1955 MAR 30 PM 3 45

SI COHN,

County Clerk.


Form Co. Clk.-25 Recording Certificate

KOERNER, YOUNG, McCOLLOCH & DEZENDORF ATTORNEYS AT LAW 800 PACIFIC BUILDING PORTLAND 4, OREGON

Witness my hand and seal of office affixed.

Albina & Globe 0041.PDF

ASSIGNMENT



RIDER TO BE ATTACHED TO AGREEMENT

OREGON-WASHINGI	Div. No. — Audit No. A-690h7. No. 2206h.
Between /corpore	tions, (collectively called "Railroad Company"),
and KERR GIFFORI) & CO. INC., an Oregon corporation, (Lesses).
Prior Assignments-	Date None. Name of assignee
	Date
Covering a pipe, diameter, for co	, one and one-half $(1\frac{1}{2})$ inches in diameter, and a pipe two (2) inches in enveying water,
Location Portlar	nd, Multnomah County, Oregon.
Dated January 25	2,1951 Effective Date Jamary 1,1981. Expiration (Original) December 31,195
	extension)
•	g extension riders—Dates. Hone •
	Co. INC., an Oregon corporation,
(hereinafter called "Assign	nor"), party of the first part, PORATED, a Delaware corporation,
(hereinafter called "Assign	nee"), party of the second part, and OREGON-WASHINGTON RATIROAD & NAVIGATION pration of the State of Oregon, and UNION PACIFIC RAILROAD
	collectively
Utah,	(hereinafter called "Railroad Company"), party of the third part,
WITNESSETH:	
It is mutually covenan	nted and agreed by and between the parties hereto as follows:
Section 1. The Assign	nor, for a valuable consideration, does hereby sell, assign, transfer and set over to the Assignee all le and interest in and to the agreement above described.
Section 2. The Assign	nee hereby accepts the above assignment and agrees to be bound by and to perform and observe

fully and faithfully all of the covenants, stipulations and conditions contained in said agreement to be performed and observed by the Assignor and assumes all liabilities mentioned in said agreement to be assumed by the Assignor.

Section 3. The Railroad Company, in consideration of the covenants and agreements of the Assignor and the Assignce herein contained, gives its consent to the aforesaid assignment; PROVIDED, however, that such consent shall not be deemed or construed to authorize any further assignment of said agreement, whether voluntary, by operation of law, or otherwise, without the consent in writing of the Railroad Company thereto first had and obtained; and PROVIDED, FURTHER, that, as between the Assignor and the Railroad Company, neither said assignment nor anything herein contained shall be construed as releasing the Assignor, in the event of default by the Assignee, from the obligation to perform all of the covenants contained in said agreement to be performed by the Assignor, or from any of the liabilities assumed by the Assignor under said agreement.

Section 4. This agreement shall be considered as taking eff	ect as of the 31st	day
of		
Attest:	HERR CIFFORD & CO. INC., Asset	Lgnor,
Secretary	President Me	
Attests	CARQILL, INCORPORATED, Assign	100 ₃
albert J. Egumayer	W Grow E Ke	len
Athert G. Egermayer, Secretary Secretary	Fredh E. Kelm, Vice Passen	
	OREGON-WASHINGTON RATIROAD & M	ottadi val
Witness:	UNION PACIFIC RAILROAD	OMPANY
Lalloway.	By GMalenta	
/	General Ma	nager



ASSIGNMENT

Sould sein to Dept. No. 22064-1

RIDER TO BE ATTACHED TO AGREEMENT

L. D. No. M	Div. No.	Audit No. A-690k7. No. 2206k.
OREGON-I	CASHINGTON RAILROAD & Corporations, (collect	HAVIGATION COMPANY and UNION PACIFIC RAILROAD COMPANY, stively called "Railroad Company"),
	· · · · · · · · · · · · · · · · · · ·	m Oregon corporation, (Lessee).
Prior Assi	gnments—Date None.	Name of assignee
	Date	Name of assignee
Covering diameter	a pipe, one and one-h , for conveying water,	nalf (12) inches in dismeter, and a pipe two (2) inches in
Location	Portland, Multnomah	Sounty, Oregon.
	mary 29,1951 Effective	
Supplement	es, including extension riders—	Dates None.
THIS AGE	REEMENT, made and entered	into this 28th day of January, 19.55, by and between
KERR GI	FFORD & CO. INC., an (Pregon corporation,
Chereinafter call	ed "Assignor"), party of the	
`	, INCORPORATED, a Dela	
	5	
Company,	a corporation of the	second part, and GREGON-MASHINGTON RAILROAD & NAVIGATION State of Oregon, and UNION PACIFIC RAILROAD
		collectively
of Utah,	(herein	after called "Railroad Company"), party of the third part,

WITNESSETH:

It is mutually covenanted and agreed by and between the parties hereto as follows:

- Section 1. The Assignor, for a valuable consideration, does hereby sell, assign, transfer and set over to the Assignee all of the Assignor's right, title and interest in and to the agreement above described.
- Section 2. The Assignee hereby accepts the above assignment and agrees to be bound by and to perform and observe fully and faithfully all of the covenants, stipulations and conditions contained in said agreement to be performed and observed by the Assignor and assumes all liabilities mentioned in said agreement to be assumed by the Assignor.
- Section 3. The Railroad Company, in consideration of the covenants and agreements of the Assignor and the Assignee herein contained, gives its consent to the aforesaid assignment; PROVIDED, however, that such consent shall not be deemed or construed to authorize any further assignment of said agreement, whether voluntary, by operation of law, or otherwise, without the consent in writing of the Railroad Company thereto first had and obtained; and PROVIDED, FURTHER, that, as between the Assignor and the Railroad Company, neither said assignment nor anything herein contained shall be construed as releasing the Assignor, in the event of default by the Assignee, from the obligation to perform all of the covenants contained in said agreement to be performed by the Assignor, or from any of the liabilities assumed by the Assignor under said agreement.

FORM 2210

Section 4. This agreement shall be considered as taking eff	fect as of the day
ofOctober	en de la companya de La companya de la co
Secretary	RERR GIFFORD & CO. INC., Assignor, By Manual President
Attests Attests Secretary Secretary	Erwin E. Kelm, Vice Personal
Witness:	CREGON-WASHIBUTON RAILROAD & NAVIGATION COMPANY UNION PACIFIC RAILROAD
II/ Lalloway	By General Manager

agreement.

1-50-1M

PIPE LINE CROSSING AGREEMENT

THIS AGREEMENT, made and entered into this 29th day of January, 19 51 by and between OREGON-WASHINGTON RAILROAD & NAVIGATION COMPANY, a corporation of the State of Oregon, and its Lessee, UNION PACIFIC RAILROAD COMPANY, a corporation of the State of Utah, hereinafter collectively called the "Railroad Company", and KERR GIFFORD & CO., INC., an Oregon corporation, hereinafter called the "Licensee", WITNESSETH: WHEREAS, the Licensee desires to construct and thereafter to maintain and operate a pipe, one and one-half (11/2) inches in diameter, and a pipe two (2) inches in diameter, for conveying water, a portion of (hereinafter called the "Pipe Line"), across the right of way and underneath the roadbed and track or tracks of the Railroad Company at or near Portland, County of Multnomah, State of Oregon, in the location indicated in red upon the plat hereto attached, which plat is hereby made a part of this agreement. The parties hereto agree as follows: 1. The Railroad Company, for and in consideration of the payments and covenants hereinafter mentioned to be made, kept and performed by said Licensee, does hereby license and permit said Licensee to construct and thereafter, during the term hereof, to maintain and operate the Pipe Line in the location aforesaid. 2. This agreement shall be effective from and after the 15t day of January. 1951, and shall continue in full force and effect until terminated as hereinafter provided. 3. The Licensee shall and will pay Union Pacific Railroad Company in consideration for the license and permission hereby granted, in advance during the term of this agreement, the sum of Five Dollars (\$5.00#- - -). 4. The Licensee shall bear the entire expense incurred in connection with the construction, maintenance, renewal and removal of the Pipe Line, including all expense incurred by the Railroad Company in connection therewith for supervision, inspection or otherwise, and all work performed and materials used in connection therewith within the limits of the right of way of the Railroad Company shall be done under the direction of and be satisfactory to the Roadmaster or Section Foreman of the Railroad Company. Direction, supervision or approval of said work by the Railroad Company or its Roadmaster or Section Foreman shall not operate to relieve the Licensee in whole or in part from

5. Nothing shall be done or suffered to be done by the Licensee at any time that would in any manner impair the usefulness or safety of the track or tracks of the Railroad Company, or of any other tracks that hereafter may be constructed within the limits of said right of way. The Railroad Company reserves and shall have the right at any and all times to make such changes in its existing track or tracks and structures, or in the present standards thereof, and to construct, maintain and operate such additional tracks and structures on said right of way in the vicinity of the Pipe Line, and over and across the same, as from time to time it may elect and the Licensee shall bear the expense of making such modifications or changes in the location of the Pipe Line as may be required by the Railroad Company in connection with such changes in said track or tracks and structures, or in the present standards thereof, and such additional tracks and structures. All the terms, conditions and stipulations herein expressed with reference to the maintenance, repair and renewal of the Pipe Line in the location hereinbefore described, shall apply to the Pipe Line as relocated, changed or modified within the contemplation of this section.

responsibility for safe and adequate construction, maintenance and operation of the Pipe Line in accordance with this

6. The Pipe Line and all parts thereof within and outside of the limits of the right of way and premises of the Railroad Company shall be constructed and at all times maintained, repaired, renewed and operated in such manner as

to cause no interference whatsoever with the constant, continuous, and uninterrupted use of the tracks, property and premises of the Railroad Company, both as regards operation, maintenance, repairs and renewals, or new construction by the Railroad Company. The Pipe Line and each and every part thereof shall be constructed and maintained at a depth of not less than four and one below the base of rail of the Railroad Company's track or tracks.

- 7. The Licensee shall indemnify and hold harmless the Railroad Company from and against any and all damages, claims, demands, actions, causes of action, costs and expenses of whatsoever nature which may result from any injury to or the death of any person whomsoever, or from the loss of or damage to property of any kind or nature, including damage to the roadbed, tracks, equipment or other property of the Railroad Company, when such injury, death, loss or damage is due to the existence of the Pipe Line, or to the construction, maintenance, operation, repair or renewal thereof, or to the contents therein or therefrom. The Licensee does hereby release the Railroad Company from all liability for damages on account of injury to the Pipe Line from any cause whatsoever.
- 8. This license may be revoked at any time by the Railroad Company or its successors or assigns, by the giving of thirty (30) days notice in writing mailed to the Licensee at the address noted below the signature of the Licensee hereto, and should the Pipe Line be permitted to be in bad order or condition for twenty-four (24) hours, then the Railroad Company may at once revoke this license without notice, and in the event of termination of this agreement how-soever the Licensee shall be without recourse or redress of any character against the Railroad Company by reason thereof, nor shall such termination prejudice or impair any right of action for damages or otherwise that the Railroad Company may have against the Licensee.
- 9. Within fifteen (15) days after the termination of this agreement howsoever, the Licensee shall remove all property of the Licensee herein provided for from that portion of the right of way of the Railroad Company not occupied by the said roadbed and track or tracks, and shall restore, to the satisfaction of the Railroad Company, the said right of way to as good condition as it was in at the time of the construction of the Pipe Line; and if the Licensee fails so to do, the Railroad Company may do such work of removal and restoration at the cost and expense of the Licensee. The Railroad Company, may at its option, upon such termination, at the entire cost and expense of the Licensee, remove the portion of the Pipe Line located underneath said roadbed and track or tracks, and restore said roadbed to as good a condition as it was in at the time of the construction of the Pipe Line, or it may permit the Licensee to do such work of removal and restoration under the supervision of the Railroad Company; and in the event of the removal by the Railroad Company of the property of the Licensee and of the restoration of said roadbed and right of way as herein provided, the Railroad Company shall in no manner be liable to the Licensee for any damage sustained by the Licensee for or on account thereof, and such removal and restoration shall in no manner prejudice or impair any right of action for damages or otherwise that the Railroad Company may have against the Licensee.
- 10. The waiver by the Railroad Company of the breach of any condition, covenant or agreement herein contained, to be kept and performed by the Licensee, shall in no way impair the right of the Railroad Company to avail itself of any subsequent breach thereof.
- 11. The Licensee shall not assign this agreement or any of the rights hereunder without the written consent of the Railroad Company.
- 12. This agreement shall be binding upon and inure to the benefit of the Railroad Company, its successors and assigns, the Licensee and the heirs, executors, administrators, successors and assigns of the Licensee. The protective and indemnifying provisions hereof shall also inure to the benefit of any other railroad company or companies or other persons or corporations lawfully using or occupying the tracks or right of way of the Railroad Company.
- 13. Special Provisions: Unless terminated at an earlier date as herein elsewhere provided, this agreement shall expire by limitation on Dicember 31, 1955.

IN WITNESS WHEREOF, the parties hereto have executed this agreement the day and year first above written.

OREGON-WASHINGTON RAILROAD & NAVIGATION COMPANY,
UNION PACIFIC RAILROAD COMPANY,

By

General Manager.


REPR CIFFORD & CO., INC.,

By

Attest: Ann

Secretary

Address Portland, Oregon.



Albina & Globe 0042.PDF

KNOW ALL MEN BY THESE PRESENTS, That CARGILL, INCORPORATED, a corporation, in consideration of One Dollar (\$1.00) to it paid by KERR GIFFORD & CO. INC., a corporation, does hereby remise, release and forever quitclaim unto the said Kerr Gifford & Co. Inc., its successors and assigns, all of its right, title and interest, if any, acquired by virtue of that certain deed recorded January 28, 1955 in Book 1702 at page 539, Deed Records, Multnomah County, Oregon in and to the following described parcels of real property situated in the County of Multnomah, State of Oregon, to-wit:

PARCEL A. A piece or parcel of land situated in Section 28 in Township 1 North of Range 1 East of the Willamette Meridian, described as follows, to-wit: Beginning at the harbor monument, as set by the U. S. Engineers in the center line of N. Railroad Street (formerly Railroad Avenue) produced Northwesterly, in the City of Portland, distant North 52°30' West 988 feet, measured along the center line of said N. Railroad Street and said center line produced Northwesterly from the City monument in the center line of N. Harding Avenue (formerly Harding Street) in said City; thence North 89°41'35" West a distance of 918.97 feet to the true point of beginning of this description; thence South 50°36' West a distance of 137.6 feet more or less, to a point on the Harbor Line of the Willamette River; thence North 39°25' West along said Harbor Line a distance of 613.8 feet to a point thereon; thence North 50°36' East a distance of 137.8 feet to a point; thence South 39°24' East a distance of 613.8 feet, more or less, to the true point of beginning; subject, however, to the public rights of navigation and fishing, and to the rights of the State of Oregon in and to that portion thereof lying below low water mark of the Willamette River; in the City of Portland, County of Multnomah and State of Oregon.

PARCEL B. A piece or parcel of land situated in Section 28 in Township 1 North of Range 1 East of the Willamette Meridian, described as follows, to-wit: Beginning at the harbor monument, as set by the U. S. Engineers, in the center line of N. Railroad Street (formerly Railroad Avenue) produced Northwesterly, in the City of Portland, distant North 52°30' West 988 feet, measured along the center line of said N. Railroad Street and said center line produced Northwesterly, from the City monument in the center

BOOK 1714 PAGE 380

line of N. Harding Avenue (formerly Harding Street) in said City; thence North 89°41'35" West a distance of 918.97 feet to a point; thence South 50°36' West a distance of 137.6 feet, more or less, to a point on the Harbor Line of the Willamette River; thence North 39°25' West along said Harbor Line a distance of 613.8 feet to the true point of beginning of this description; thence continuing North 39°25' West along said Harbor Line a distance of 300 feet to a point thereon; thence North 50°36' East a distance of 137.8 feet to a point; thence South 39°25' East along a line that is parallel with said Harbor Line a distance of 300 feet to a point; thence South 50°36' West a distance of 137.8 feet to the true point of beginning; subject, however, to the public rights of navigation and fishing, and to the rights of the State of Oregon in and to that portion thereof lying below low water mark of the Willamette River; in the City of Portland, County of Multnomah and State of Oregon;

SUBJECT TO: (a) Reservation for minerals and mineral rights in deed recorded June 23, 1948 from Union Pacific Railroad Company to Kerr Gifford & Co. Inc., and

(b) Exception and reservation of a railroad track as reserved in deed from Union Pacific Railroad Company to Kerr Gifford & Co. Inc. recorded June 23, 1948 as Instrument No. 26998.

The purpose of this deed is to correct an error created by the giving of the deed from Kerr Gifford & Co. Inc. to Cargill, Incorporated above-mentioned; Kerr Gifford & Co. Inc. having previously conveyed said parcels to James McDonald and A. H. Gattie.

TO HAVE AND TO HOLD the same unto the said Kerr Gifford & Co. Inc., its successors and assigns, forever.

IN WITNESS WHEREOF, Cargill, Incorporated has caused this instrument to be executed by its duly authorized officers and its corporate seal to be affixed this __28th_day of February, 1955.

Erwin E. Kelm. Vice President

Albert G. Egermayer, Secretary

BOOK 1714 PAGE 381

STATE OF MINNESOTA នន County of HENNEPIN On this 28th day of February, 1955, before me appeared Erwin E. Kelm and Albert G. Egermayer to me personally known, who, being duly sworn, did say that he, the said Erwin E. Kelm is the Vice President he, the said Albert G. Egermayer is the Secretary of CARGILL, INCORPORATED, the within named corporation, and that the seal affixed to said instrument is the corporate seal of said corporation, and that said instrument was signed and sealed in behalf of said corporation by authority of its Board of Directors, and Albert G. Egermayer and said Erwin E. Kelm acknowledged said instrument to be the free act and deed of said corporation. IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my official seal this the day and year first in this my certificate written.

My commission expires:

RODNEY M. OLSON Notary Public, Hennepin County, Minn. My Commission Expires Dec. 9, 1961.

QUIT CLAIM DEED

Cargill, Incorporated, a corporation

Kerr Gifford & Co. Inca corporation

STATE OF OREGON,

County of Multnomah

I, Si Cohn, County Clerk, and ex-officio Recorder of Conveyances, in and for said County, do hereby certify that the within instrument of writing was received for record and recorded in the record

of said County at

1955 Mark 30 PM 3 45

On Page

Witness my hand and seal of office affixed.

SI COHN, County Clerk.

Form Co. Clk.-25 Recording Certificate

KOERNER, YOUNG, McCOLLOCH & DEZENDORF ATTORNEYS AT LAW 800 PACIFIC BUILDING PORTLAND 4, OREGON

Albina & Globe 0043.PDF

BARGAIN AND SALE DEED

BOOK 1702 PAGE 539

KNOW ALL MEN BY THESE PRESENTS, That KERR GIFFORD & CO. INC., an Oregon corporation, Grantor, in consideration of Ten Dollars (\$10.00) and other valuable consideration to it paid by CARGILL, INCORPORATED, a corporation, Grantee, does hereby grant, bargain, sell and convey unto the said Grantee, its successors and assigns, all the following real property, with the tenements, hereditaments and appurtenances, situated in the County of Multnomah, State of Oregon, to-wit:

1665 38-IN-1E

PARCEL A. A piece or parcel of land situated in Section 28 in Township 1 North of Range 1 East of the Willamette Meridian, described as follows, to-wit: Beginning at the harbor monument, as set by the U. S. Engineers in the center line of N. Railroad Street (formerly Railroad Avenue) produced Northwesterly, in the City of Portland, distant North 52°30' West 988 feet, measured along the center line of said N. Railroad Street and said center line produced Northwesterly from the City monument in the center line of N. Harding Avenue (formerly Harding Street) in said City; thence North 89°41'35" West a distance of 918.97 feet to the true point of beginning of this description; thence South 50°36' West a distance of 137.6 feet more or less, to a point on the Harbor Line of the Willamette River; thence North 39°25' West along said Harbor Line a distance of 613.8 feet to a point thereon; thence North 50°36' East a distance of 137.8 feet to a point; thence South 39°24' East a distance of 613.8 feet, more or less, to the true point of beginning; subject, however, to the public rights of navigation and fishing, and to the rights of the State of Oregon in and to that portion thereof lying below low water mark of the Willamette River; in the City of Portland, County of Multnomah and State of Oregon.

PARCEL B. A piece or parcel of land situated in Section 28 in Township 1 North of Range 1 East of the Willamette Meridian, described as follows, to-wit: Beginning at the harbor monument, as set by the U. S. Engineers, in the center line of N. Railroad Street (formerly Railroad Avenue) produced Northwesterly, in the City of Portland, distant North 52°30' West 988 feet, measured along the center line of said N. Railroad Street and said center line produced Northwesterly, from the City monument in the center line of N. Harding Avenue (formerly Harding Street) in said City; thence North 89°41'35" West a distance of 918.97 feet to a point; thence South 50°36' West

(0)

BOOK 1702 PAGE 540

a distance of 137.6 feet, more or less, to a point on the Harbor Line of the Willamette River; thence North 39°25' West along said Harbor Line a distance of 613.8 feet to the true point of beginning of this description; thence continuing North 39°25' West along said Harbor Line a distance of 300 feet to a point thereon; thence North 50°36' East a distance of 137.8 feet to a point; thence South 39°25' East abng a line that is parallel with said Harbor Line a distance of 300 feet to a point; thence South 50°36' West a distance of 137.8 feet to the true point of beginning; subject, however, to the public rights of navigation and fishing, and to the rights of the State of Oregon in and to that portion thereof lying below low water mark of the Willamette River; in the City of Portland, County of Multnomah and State of Oregon;

SUBJECT TO: (a) Reservation for minerals and mineral rights in deed recorded June 23, 1948 from Union Pacific Railroad Company to Kerr Gifford & Co. Inc., and

(b) Exception and reservation of a railroad track as reserved in deed from Union Pacific Railroad Company to Kerr Gifford & Co. Inc. recorded June 23, 1948 as Instrument No. 26998.

TO HAVE AND TO HOLD the above described and granted premises unto the said Grantee, its successors and assigns, forever.

IN WITNESS WHEREOF, the Grantor has caused this instrument to be executed by its duly authorized officers and the corporate seal to be affixed this

KERR GIFFORD & CO, INC

By Momentain

Attest:

Vo 1517 3/5/2, 1954.

NO REVENUE STAMPS: EXEMPT UNDER REGULATION 71 (1941) SECTION 113.83(g)

BOOK 1702 PAGE 541

corporation.

STATE OF OREGON

On this day of mulary, 195%,
before me appeared form as Kern and formfield,
to me personally known, who, being duly sworn, did say that he,
the said format Kern is the President, and he,
the said format Kern is the Secretary of KERR
GIFFORD & CO. INC., the within named corporation, and that
the seal affixed to said instrument is the corporate seal of
said corporation, and that said instrument was signed and sealed
in behalf of said corporation by authority of its Board of
Directors, and said format Kern and formation of the said acknowledged said instrument to be the free act and deed of said

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my official seal this the day and year first in my certificate written.

Notary Public for Oregon My commission expires:

MY COMMISSION EXPIRES JULY 12, 1958

GEAL DECUMENT 4495 RECORDED JAN 20 1000 / 43 PM OF COLING, County Clerk

BARGAIN AND SALE DEED

Kerr Gifford & Co. Inc., a corporation,

Cargill, Incorporated, a corporation

STATE OF OREGON,

County of Multnomah

I, Si Cohn, County Clerk, and ex-officio Recorder of Conveyances, in and for said County, do hereby certify that the within instrument of writing was received for record and recorded in the record

...of said County at

1955 JAN 28 PM | 43

In Book

On Page

Witness my hand and seal of office affixed.

SI COHN,

County Clerk,

Form Co. Clk.-25 Recording Certificate

KOERNER, YOUNG, McCOLLOCH & DEZENDORF ATTORNEYS AT LAW 800 PACIFIC BUILDING PORTLAND 4, OREGON 2

Albina & Globe 0044.PDF

BARGAIN AND SALE DEED

& CO. INC., an Oregon corporation, Grantor, in consideration of Ten Dollars (\$10.00) and other valuable consideration to it paid by CARGILL, INCORPORATED, a corporation, Grantee, does hereby grant, bargain, sell and convey unto the said Grantee, its successors and assigns, all the following real property, with the tenements, hereditaments and appurtenances, situated in the County of Multnomah, State of Oregon, to-wit:

PARCEL A. A piece or parcel of land situated in Section 28 in Township 1 North of Range 1 East of the Willamette Meridian, described as follows, to-wit: Beginning at the harbor monument, as set by the U. S. Engineers in the center line of M. Railroad Street (formerly Railroad Avenue) produced Northwesterly, in the City of Portland, distant North 52°30' West 988 feet, measured along the center line of said N. Railroad Street and said center line produced Northwesterly from the City monument in the center line of N. Harding Avenue (formerly Harding Street) in said City: thence North 89 41 35 West a distance of 918.97 feet to the true point of beginning of this description; thence South 50°36' West a distance of 137.6 feet more or less, to a point on the Harbor Line of the Willamette River; thence North 39°25' West along said Harbor Line a distance of 613.8 feet to a point thereon; thence North 50°36' East a distance of 137.8 feet to a point; thence South 39°24' East a distance of 613.8 feet, more or less, to the true point of beginning; subject, however, to the public rights of navigation and fishing, and to the rights of the State of Oregon in and to that portion thereof lying below low water mark of the Willamette River; in the City of Portland, County of Multnoman and State of Oregon.

PARCEL B. A piece or parcel of land situated in Section 28 in Township 1 North of Range 1 Bast of the Willamette Meridian; described as follows, to-wit: Beginning at the harbor monument, as set by the U.S. Engineers, in the center line of M. Railroad Street (formerly Railroad Avenue) produced Northwesterly, in the City of Portland, distant North 52°30' West 988 feet, measured along the center line of said M. Railroad Street and said center line produced Northwesterly, from the City monument in the center line of M. Harding Avenue (formerly Harding Street) in said City; thence North 89°41'35" West a distance of 918.97 feet to a point; thence South 50°36' West

a distance of 137.6 feet, more or less, to a point on the Harbor Line of the Willamette River; thence North 39°25' West along said Harbor Line a distance of 613.8 feet to the true point of beginning of this description; thence continuing Morth 39°25' West along said Harbor Line a distance of 300 feet to a point thereon; thence North 50°36' East a distance of 137.8 feet to a point; thence South 39°25' East along a line that is parallel with said Harbor Line a distance of 300 feet to a point; thence South 50°36' West a distance of 137.8 feet to the true point of beginning; subject, however, to the public rights of mayigation and fishing, and to the rights of the State of Oregon in and to that portion thereof lying below low water mark of the Willamette River; in the City of Portland, County of Multnoman and State of Oregon;

SUBJECT TO: (a) Reservation for minerals and mineral rights in deed recorded June 23, 1948 from Union Pacific Railroad Company to Kerr Gifford & Go. Inc., and

(b) Exception and reservation of a wailroad track as reserved in deed from Union Pacific Railroad Company to Kerr Gifford & Co. Inc. recorded June 23, 1948 as Instrument No. 26998.

TO HAVE AND TO HOLD the above described and granted premises unto the said Grantee, its successors and assigns, forever.

IN WITNESS WHEREOF, the Grantor has caused this instrument to be executed by its duly authorized officers and the corporate seal to be affixed this 22 day of

Noversen. 1954.

KERR GIPFORD & CO. INC.

By ////

Attest:

STATE OF OREGON) :8
County of Multnomah)

on this day of former, 195k, before me appeared former for and former, 195k, to me personally known, who, being duly sworn, did say that he, the said former for is the President, and he, the said former for the Secretary of EERR GIFFORD & CO. IMC., the within named corporation, and that the seal affixed to said instrument is the corporate seal of said corporation, and that said instrument was signed and sealed in behalf of said corporation by authority of its Board of Directors, and said former for and former former former former and former f

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my official seal this the day and year first in my certificate written.

Notary Public for Oregon My opemission expires:

MY COMMISSION EXPIRES JULY 12, 1958

Albina & Globe 0045.PDF

BARGAIN AND SALE DEED

KNOW ALL MEN BY THESE PRESENTS, That KERR GIFFORD & CO. INC., an Oregon corporation, Grantor, in consideration of Ten Dollars (\$10.00) and other valuable consideration to it paid by CARGILL, INCORPORATED, a corporation, Grantee, does hereby grant, bargain, sell and convey unto the said Grantee, its successors and assigns, all the following real property, with the tenements, hereditaments and appurtenances, situated in the County of Multnomah, State of Oregon, to-wit:

All those parts of Block thirty-five (35) of WHEELER'S ADDITION TO THE CITY OF EAST PORTLAND, now a part of the City of Portland, described as follows: Commencing at a point on the East line of said Block 35, that is 72 feet distant Northerly from the intersection of said East line produced Southerly, with the South line of N. Pacific Street; thence North 57°44' West along a straight line which forms an angle of 58°01' from North to Northwest with said East line of Block 35 a distance of 146.10 feet to a point in the Southeasterly line of that certain parcel of land heretofore conveyed to the Oregon Railway and Navigation Company by the Oregon and California Railroad Company by Deed dated December 5, 1887, recorded in Book 100, page 37, Deed Records of Multnomah County; thence South 47°12'40' West along the Easterly line of said parcel of land conveyed to the Oregon Railway and Navigation Company by said Deed dated December 5, 1887, a distance of 12.36 feet to the point of beginning of the parcel of land hereby conveyed; thence North 45°42' West a distance of 12 feet; thence North 58°05' West a distance of 12 feet; thence North 58°05' West a distance of 12 feet; thence North 58°05' West a distance of 12.7 feet; thence South 47°12'40' West a distance of 12.8 feet to a point on Harbor Line on the East side of the Willamette River; thence South 34°13' East along said Harbor Line a distance of 50.05 feet to a point in the Southeasterly line of said parcel of land, heretofore referred to, conveyed to said Oregon Railway and Navigation Company by the Oregon and California Railroad Company by said Deed dated December 5, 1887; thence North 47°12'40' East along the Southeasterly line of said parcel of land conveyed by said! Deed dated December 5, 1887; thence North 47°12'40' East along the Southeasterly line of said parcel of land conveyed by said! Deed dated December 5, 1887, thence North 47°12'40' East along the Southeasterly line of said parcel of land conveyed by said! Deed dated December 5, 1887, a distance of 141.

BOOK 1702 PAGE 537

in and to that portion thereof lying below low water mark of the Willamette River; excepting and excluding any improvements and structure thereon not owned by the Railroad Company; in the City of Portland, County of Multnomah and State of Oregon;

SUBJECT TO: Reservation for minerals and mineral rights as set forth in deed from Union Pacific Railroad Company to Kerr Gifford & Co. Inc., recorded June 23, 1948 as Instrument No. 26994.

TO HAVE AND TO HOLD the above described and granted premises unto the said Grantee, its successors and assigns, forever.

IN WITNESS WHEREOF, the Grantor has caused this instrument to be executed by its duly authorized officers and the corporate seal to be affixed this 12 th day of World with 1954.

KERR GIFFORD & CO INC.

Ul in

Attest:

Secretary

NO REVENUE STAMPS; EXEMPT UNDER REGULATION 71 (1941) SECTION 113.83(g)

BOOK 1702 PAGE 538

STATE OF OREGON) : ss County of Multnomah)

on this day of farmer, 195% before me appeared Long Lern and Color field, to me personally known, who, being duly sworn, did say that he, the said Long level is the President, and he, the said Long level is the Secretary of KERR GIFFORD & CO. INC., the within named corporation, and that the seal affixed to said instrument is the corporate seal of said corporation, and that said instrument was signed and sealed in behalf of said corporation by authority of its Board of Directors, and said Long Mark and Long level and deed of said corporation.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my official seal this the day and year first in my certificate written.

Notary Public for Oregon My commission expires:

MY COMMISSION EXPIRES JULY 12, 1958

K6

BARGAIN AND SALE DEED

Kerr Gifford & Co. Inc., a corporation,

to

Cargill, Incorporated, a corporation

STATE OF OREGON,

County of Multnomah

I, Si Cohn, County Clerk, and ex-officio Recorder of Conveyances, in and for said County, do hereby certify that the within instrument of writing was received for record and recorded in the record of said County at

1935 UAN 28 PM 1 43

In Book

On Page

536

Witness my hand and seal of office affixed.

SI COHN, County Clerk. Deputy.

Form Co. Clk.-25 Recording Certificate

KOERNER, YOUNG, McCOLLOCH & DEZENDORF ATTORNEYS AT LAW 800 PACIFIC BUILDING PORTLAND 4, OREGON 73

Albina & Globe 0046.PDF

Burk 120 Flogs 536

BAROWN AND SALE DEED

know all MEN BY THESE PRESENTS, That KERR GIFFORD & CO. INC., an Oregon corporation, Granter, in consideration of Ten Dollars (\$10.00) and other valuable consideration to it paid by CARGILL, INCORPORATED, a corporation, Grantee, does hereby grant, bargain, sell and convey unto the said Grantee, its successors and assigns, all the following real property, with the tenements, hereditaments and appurtenances, situated in the County of Multnomah, State of Oregon, to-wit:

All those parts of Block thirty-five (35) of WHEELER'S ADDITION TO THE CITY OF EAST FORTIAND, now a part of the City of Portland, described as follows: Commencing at a point on the East line of said Block 35, that is 72 feet distant Northerly from the intersection of said East line produced Southerly, with the South line of N. Pacific Street; thence North 57°44' West along a straight line which forms an angle of 58°01' from North to Northwest with said East line of Block 35 a distance of 146.10 feet to a point in the Southeasterly line of that certain parcel of land heretofore conveyed to the Oregon Railway and Havigation Company by the Oregon and California Emilroad Company by Deed dated December 5, 1667; required in Book 100, page 37. Deed Records of Multhoman County; thence South 47°12'40' West along the Easterly line of said parcel of land conveyed to the Oregon Railway and Navigation Company by said Deed dated December 5, 1687, a distance of 12.36 feet to the point of beginning of the parcel of land hereby conveyed; thence North 54°21' West a distance of 12 feet; thence North 58°56' West a distance of 12 feet; thence North 58°56' West a distance of 12 feet; thence North 58°56' West a distance of 12.7 feet; thence North 58°56' West a distance of 123.6 feet to a point on Harbor Line on the East side of the Willamette River; thence South 34°13' Rast along said Harbor Line a distance of 123.6 feet to a point in the Southeasterly line of said parcel of land, heretofore referred to, conveyed to said Oregon Railway and Mavigation Company by the Oregon and California Railroad Company by said Deed dated December 5, 1887, a distance of 141.3 feet to the point of beginning; subject, however to the public rights of navigation and fishing, and to the rights of the State of Gregon

in and to that portion thereof lying below low water mark of the Willamette River; excepting and excluding any improvements and structure thereon not owned by the Railroad Company; in the City of Portland, County of Multnomah and State of Oregou;

SUBJECT TO: Reservation for minerals and mineral rights as set forth in deed from Union Pacific Railroad Company to Kerr Gifford & Co. Inc., recorded June 23, 1948 as Instrument No. 26994.

TO HAVE AND TO HOLD the above described and granted premises unto the said Grantee, Its successors and assigns, forever.

KERR GIFFORD & CO. INC.

Attest:

STATE OF OREGON) : S County of Hultnomah)

on this day of anuary, 195% before me appeared and series and sourced, to me personally known, who, being duly sworn, did say that he, the said force her is the President, and he, the said force her is the Secretary of KERR GIFFORD & CO. INC., the within named corporation, and that the seal affixed to said instrument is the corporate seal of said corporation, and that said instrument was signed and sealed in behalf of said corporation by authority of its Board of Directors, and said forces for and force and sealed acknowledged said instrument to be the free act and deed of said corporation.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my official seal this the day and year first in my certificate written.

Notary Fublic for Oregon My commission expires:

MY COMMISSION EXPIRES JULY 12, 1958

INC., a corporation, organized under the laws of the State of Oregon, in consideration of the sum of Ten Dollars (\$10.00) to it paid by JAMES McDONALD and A. H. GATTIE, has bargained and sold and by these presents does grant, bargain, sell and convey unto the said JAMES McDONALD and A. H. GATTIE, their heirs and assigns, all the following bounded and described real property situated in the County of Multnomah, State of Oregon; to wit:

PARCEL NO. 1:

All those parts of Block Thirty-five (35) of Wheeler's Addition to the City of East Portland, now a part of the City of Portland, Multnomah County, Oregon, N. Pacific Street (formerly Pacific Street) vacated under Ordinance No. 20907 of the City of Portland, passed by the City Council on March 9, 1910, and land, if any, lying between the westerly boundary line of said Wheeler's Addition, according to the official plat thereof, and the Harbor Line on the east side of the Willamette River, described as follows, to wit:

Commencing at a point on the east line of said Block
Thirty-five (35) that is seventy-two (72) feet distant northerly
from the intersection of said east line, produced southerly, with
the south line of N. Pacific Street; thence North fifty-seven degrees and forty-four minutes West (N. 57° 44° W.) along a straight
line which forms an angle of fifty-eight degrees and one minute
(58° 01°) from north to northwest with said east line of Block
Thirty-five (35) a distance of one hundred forty-six and one-tenth
(146.10) feet to a point in the southeasterly line of that certain
parcel of land heretofore conveyed to the Oregon Railway and Navigation Company by the Oregon and California Railroad Company by deed
dated December 5, 1887, recorded in Book 100, page 37, Deed Records
of said Multnomah County; thence South forty-seven degrees, twelve
minutes and forty seconds West (8. 47° 12' 40° W.) along the easterly line of said parcel of land conveyed to the Oregon Railway and
Mavigation Company by said deed dated December 5, 1887, a distance
of twelve and thirty-six hundredths (12.36) feet to the point of
beginning of the parcel of land hereby conveyed; thence North
forty-five degrees and forty-three minutes West (N. 45° 43' W.) a
distance of twelve (12) feet; thence North fifty-four degrees and
twenty-one minutes West (N. 54° 21' ".) a distance of twelve (12)
feet; thence Horth fifty-eight degrees and five minutes West
(M. 58° 05' W.) a distance of fourteen (14) feet; thence North fiftyeight degrees and fifty-six minutes West (M. 58° 56' W.) a distance
of twelve and seven tenths (12.7) feet; thence South forty-seven
degrees, twelve minutes and forty seconds West (S. 47° 12' 40° W.)
a distance of one hundred twenty-three and six tenths (123.6) feet
to a point on Harbor Line on the east side of the Willamette River;

800×1637 PAGE 313

thence South thirty-four degrees and thirteen minutes East (S. 34 13 E.) along said Harbor Line a distance of fifty and five hundredths (50.05) feet to a point in the southeasterly line of said parcel of land, heretofore referred to, conveyed to said Oregon Railway and Navigation Company by the Oregon and California Railroad Company by said deed dated December 5, 1887; thence North forty- seven degrees, twelve minutes and forty seconds East (N. 47° 12' 40" E.) along the southeasterly line of said parcel of land conveyed by said deed dated December 5, 1887 a distance of one hundred forty-one and three tenths (141.3) feet to the point of beginning; excepting and excluding any improvements and structures thereon not owned by the grantor; also excluding that portion of the above-described property which lies below ordinary low-water mark of the Willamette River.

Subject to those certain exceptions and reservations contained in deed dated June 4, 1947 from Oregon-Washington Railroad & Navigation Company to Union Pacific Railroad Company conveying the above property, which reservations are as follows:

EXCEPTING from this grant and reserving unto the grantor, its successors and assigns forever, all minerals and all mineral rights of every kind and character now known to exist or hereafter discovered, including, without limiting the generality of the foregoing, oil and gas and rights thereto, together with the sole, exclusive and perpetual right to explore for, remove and dispose of said minerals by any means or methods suitable to the grantor, its successors and assigns, but without entering upon or using the surface of the lands hereby conveyed, and in such manner as not to damage the surface of said lands or to interfere with the use thereof by the grantee, its successors or assigns.

PARCEL NO. 2:

A piece of parcel of land situated in Section Twenty-eight (28), Township One (1) North, Range One (1) Bast of the Willamette Meridian in the City of Portland, Multnomah County, Oregon, described as follows, to wit:

Beginning at the harbor monument, as set by the U. S. Engineers, in the center line of W. Railroad Street, (formerly Railroad Avenue) produced northwesterly, in said City, distant North Fifty-two degrees and thirty minutes West (N. 52° 30' W.) nine hundred eighty-eight (988) feet, measured along the center line of said N. Railroad Street and said center line produced northwesterly, from the City monument in the center line of N. Harding Avenue, (formerly Harding Street) in said City; thence North eighty-nine degrees, forty-one minutes and thirty-five seconds West (N. 89° 41' 35" W.) a distance of nine hundred eighteen and ninety-seven hundredths (918.97) feet to a point; thence South fifty degrees and thirty-six minutes West (S. 50° 36' W.) a distance of one hundred thirty-seven and six tenths (137.6) feet, more or less, to a point on the Harbor Line of the Willsmette River; thence North thirty-nine degrees and twenty-five minutes West (N. 39° 25' W.) along said Harbor Line a distance of six hundred thirteen and eight tenths (513.8) feet to the true point of beginning of this description; thence continuing North Shirty-nine degrees and twenty-five minutes West (N. 39° 25' W.) along said Harbor Line a distance of three hundred (300) feet to a point thereon; thence North fifty degrees and thirty-six minutes East (W. 50° 36' E.) a distance of one hundred



MON 1637 MAE 314

thirty-seven and eight tenths (137.8) feet to a point; thence South thirty-nine degrees and twenty-five minutes Bast (S. 39° 25' E.) along a line that is parallel with said Harbor Line a distance of three hundred (300) feet to a point; thence South fifty degrees and thirty-six minutes West (S. 50° 36' W.) a distance of one hundred thirty seven and eight-tenths (137.8) feet to the true point of beginning; including ballast dock and derrick located on the property described in this paragraph; excluding, however, that portion of the above-described property which lies below ordinary low-water mark of the Willamette River.

Subject to those exceptions and reservations contained in deed dated June 3, 1947 from Oregon-Washington Railroad & Navigation Company and City Bank Farmers Trust Company, as Trustee, to Union Pacific Railroad Company conveying said premises, which reservations are as follows:

Washington Railroad & Navigation Company, its successors and assigns forever, all minerals and all mineral rights of every kind and character now known to exist or hereafter discovered, including, without limiting the generality of the foregoing, oil and gas and rights thereto, together with the sole, exclusive and perpetual right to explore for, remove and dispose of said minerals by any means or methods suitable to the Oregon-Washington Railroad & Navigation Company, its successors and assigns, but without entering upon or using the surface of the lands hereby conveyed, and in such manner as not to damage the surface of said lands or to interfere with the use thereof by the grantee, its successors or assigns.

FURTHER EXCEPTING from this grant and reserving unto Oregon-Washington Railroad & Navigation Company, its successors and assigns forever, that certain railroad track now located on the property hereby conveyed.

PARCEL NO. 3:

A piece or parcel of land situate in Section Twenty-eight (28), Township One (1) North, Range One (1) East of the Willamette Meridian, in the City of Portland, Multnomah County, Oregon, described as follows, to wit:

Beginning at the harbor monument, as set by the U. S. Engineers, in the center line of N. Railroad Street (formerly Railroad Avenue) produced northwesterly, in said City, distant North fifty-two degrees and thirty minutes West (N. 52° 30' W.) nine hundred eighty-eight (988) feet, measured along the center line of said N. Railroad Street and said center line produced northwesterly, from the City monument in the center line of N. Harding Avenue (formerly Harding Street) in said City; thence north eighty-nine degrees, forty-one minutes and thirty-five seconds West (N. 89° 41' 35" W.) a distance of nine hundred eighteen and ninety-seven hundredths (918.97) feet to the true point of beginning of this description; thence South fifty degrees and thirty-six minutes West (S. 50° 36' W.) a distance of one hundred thirty-seven and six tenths (137.6) feet, more or less, to a point on the Harbor Line of the Willamette River; thence North thirty-nine degrees and twenty-five minutes West (N. 39° 25' W.) along said Harbor Line a distance of six hundred thirteen and eight tenths (613.8) feet to a point thereon; thence North fifty degrees and thirty-six minutes East (N. 50° 36' E.) a distance of one hundred thirty-nine degrees

and twenty-four minutes East (8. 39° 24° E.) a distance of six hundred thirteen and eight tenths (613.8) feet, more or less to the true point of beginning; excluding that portion of said property which lies below ordinary low-water mark of the Willamette River.


Aubject to those exceptions and reservations contained in deed dated June 4, 1947 from Oregon-Washington Railroad & Navigation Company, a corporation, to Union Pacific Railroad Company conveying the above described and granted premises, which reservations are as follows:

EXCEPTING from this grant and reserving unto the grantor, its successors and assigns forever, all minerals and all mineral rights of every kind and character now known to exist or hereafter discovered, including, without limiting the generality of the foregoing, oil and gas and rights thereto, together with the sole, exclusive and perpetual right to explore for, remove and dispose of said minerals by any means or methods suitable to the grantor, its successors and assigns, but without entering upon or using the surface of the lands hereby conveyed, and in such manner as not to damage the surface of said lands or to interfere with the use thereof by the grantee, its successors or assigns.

Together with all and singular the tenements, hereditaments and appurtenances thereunto belonging or in anywise appertaining and all right, title and interest in and to the same.

TO HAVE AND TO HOLD the above described granted and sold premises unto the said JAMES McDONALD and A. H. GATTIE, their heirs and assigns forever.

Done by order of the Board of Directors, with the seal of said corporation, this 24th day of December, 1953.



Max 1637 mm 316

STATE OF OREGON

County of Multnomah

S. E. MIKKELSON

THORITHMEN and JOHN W. S. PLATT, to me personally known, who, being S. E. MIKKELSON Vice duly sworn, did say that he, the said Endemental, is the President, and he, the said JOHN W. S. PLATT, is the Secretary, of KERR GIFFORD & CO. IRC., the within named corporation, and that the seal affixed to said instrument is the corporate seal of said corporation, and that the said instrument was signed and sealed in behalf of said corporation by authority of its Board of Directors, and ENGENERR and JOHN W. S. PLATT acknowledged said instrument to be the free act and deed of said corporation.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my official seal, this the day and year first in this, my certificate, written.

Notary Public for Oregon

My Commission expires:

My Commission explics Oct. 14. 1997 VUC

Albina & Globe 0047.PDF





TITLE INSURANCE · · ESCROWS

ATWATER 8141 · 731 S. W. STARK STREET

PORTLAND 5 OREGON

\$ 25,000.00

No. 198411

Owner's Title Insurance Policy

FOR VALUE, COMMONWEALTH, INC., a corporation (incorporated under the laws of the State of Oregon and duly authorized by the State Insurance Commissioner to insure titles in said state), hereinafter called the Company,

Does Hereby Insure

subject to the annexed conditions, hereby made a part of this policy,

---- KERR GIFFORD & CO., INC., ---- an Oregon corporation

heirs and devisees (or if a corporation, its successors) hereinafter called the Insured, against loss or damage not exceeding Twenty-five thousand and no/100 - - - - - - - - - - - - - - - - - Dollars, which the Insured may sustain by reason of any defect in or unmarketability of the Insured's title to all the estate or interest in the premises specified and hereinafter described or by reason of liens or incumbrances charging the same at the date of this policy, saving and excepting, and this policy does not insure against loss or damage by reason of any estate or interest, defect, lien, incumbrance or objection hereinafter set forth in the written or printed exceptions contained in this policy.

Any loss under this policy is to be established in the manner provided in said conditions and shall be paid upon compliance by the Insured with and as prescribed in said conditions, and not otherwise.

The effective date of this policy is June 23, 1948 at 5:00 P.M. - - - - -

IN TESTIMONY WHEREOF, COMMONWEALTH, INC., has caused its corporate name and seal to be hereunto affixed by its duly authorized officers.

COMMONWEALTH, INC.

MANSUN President
Budd G. Burnis.

Vice President

PAGE 1 OF POLICY NO. 198411

Schedule A.

1. The Estate or interest covered by this policy:

An estate in fee simple. - - - -

2. Description of the tract of land the title to which is insured by this policy:

PARCEL A. A piece or parcel of land situated in Section 28 in Township 1 North of Range 1 East of the Willamette Meridian, described as follows, to-wit: Beginning at the harbor monument, as set by the U. S. Engineers in the center line of N. Railroad Street (formerly Railroad Avenue) produced Northwesterly, in the City of Portland, distant North 52°30' West 988 feet, measured along the center line of said N. Railroad Street and said center line produced Northwesterly from the City monument in the center line of N. Harding Avenue (formerly Harding Street) in said City; thence North 89°41'35" West a distance of 918.97 feet to the true point of beginning of this description; thence South 50°36' West a distance of 137.6 feet more or less, to a point on the Harbor Line of the Willamette River; thence North 39°25' West along said Harbor Line a distance of 613.8 feet to a point thereon; thence North 50°36' East a distance of 137.8 feet to a point; thence South 39°24' East a distance of 613.8 feet, more or less, to the true point of beginning, subject however to the public rights of navigation and fishing, and to the rights of the State of Oregon in and to that portion thereof lying below low water mark of the Willamette River; in the City of Portland, County of Multnomah and State of

PARCEL B. A piece or parcel of land situated in Section 28 in Township 1 North of Range 1 East of the Willamette Meridian, described as follows, to-wit: Beginning at the harbor monument, as set by the U. S. Engineers, in the center line of N. Railroad Street, (formerly Railroad Avenue) produced Northwesterly, in the City of Portland, distant North 52°30' West 988 feet, measured along the center line of said N. Railroad Street and said center line produced Northwesterly, from the City monument in the center line of N. Harding Avenue, (formerly Harding Street) in said City: thence North 89°41'35" West a distance of 918.97 feet to a point; thence South 50°36' WestNa distance of 137.6 feet, more or less, to a point on the Harbor Line of the Willamette River; thence North 39°25' West along said Harbor Line a distance of 613.8 feet to the true point of beginning of this description; thence continuing North 39° 25' West along said Harbor Line a distance of 300 feet to a point thereon; thence North 50°36' East a distance of 137.8 feet to a point; thence South 39°25' East along a line that is parallel with said Harbor Line a distance of 300 feet to a point; thence South 50°36' West a distance of 137.8 feet to the true point of beginning, subject however to the public rights of navigation and fishing, and to the rights of the State of Oregon in and to that portion thereof lying below low water mark of the Willamette River; in the City of Portland, County of Multnomah and State of Oregon. THIS POLICY NO. 198412 CONSISTS OF 4 PAGES WHICH ARE NUMBERED AT THE END OF EACH PAGE 2

Schedule B.

EXCEPTIONS

This policy does not insure against:

- 1. Any state of facts which an accurate survey and inspection of said land would show; roads, ways and easements not established of record; the existence of county roads, water rights or water locations.
- 2. Rights or claims of persons in possession, or claiming to be in possession, not shown of record; material or labor liens of which no notice is of record.
- 3. Matters relating to assessments preceding the same becoming fixed and shown as a lien; taxes not yet payable; matters relating to vacating, opening or other changing of streets or highways preceding the final termination of the same.
- 4. The provisions or effect of any law or ordinance enacted for the purpose of regulating, restricting or controlling the occupancy or use of any land herein described or any building thereon.
 - 5. Reservation for minerals and mineral rights in deeds recorded June 23, 1948, Instrument No. 26996 and No. 26998, from Union Pacific Railroad Company, a Utah corporation, to Kerr Gifford & Co., Inc., an Oregon corporation.
 - 6. Exception and reservation of a railroad track located on herein described property as reserved in Deed from Union Pacific Railroad Company, a Utah corporation, to Kerr Gifford & Co., Inc., an Oregon corporation, recorded June 23, 1948, Instrument No. 26998. (Affects parcel B only) - -

CONDITIONS



Upon receipt of notice of any defect, lien or incumbrance hereby insured against, the Insured shall forthwith notify the Company thereof in writing. In case any suit, action or proceeding is commenced to which the Insured is a party and which may result in loss under this policy, the Insured shall immediately after learning thereof notify the Company in writing, and within ten (10) days after service of process upon him secure to the Company the right to defend such suit, action or proceeding in the name of the Insured, so far as necessary to protect the Insured, and shall render all reasonable assistance in such defense. The Company will defend such suit, action or proceeding at its own cost, reserving, however, the option of settling the claim or paying this policy in full at any time. But the Company shall in no case be liable for any costs or expense incurred by the Insured in such litigation without its consent.

In the event of final judicial determination by a Court of competent jurisdiction, under which the Insured is dispossessed or deprived of the real estate covered hereby, or his estate or interest insured is impaired by reason of any adverse interest, lien or incumbrance hereby insured against, or, if this policy covers a mortgagee's interest, if such final judicial determination shall defeat or impair the mortgageor's title to all or any part of the mortgaged premises or establish the priority to the mortgage of a lien or incumbrance not excepted in this policy, claim may be made hereunder, provided the conditions have been in all ways complied with. Every claim for loss under this policy must be in writing, giving a full statement thereof, and be delivered to the Company at its Home Office within sixty (60) days after such final judicial determination, whereupon the loss hereunder shall be payable to the Insured on or before thirty (30) days.


The Company may at any time pay this policy in full, whereupon all liability of the Company shall terminate. The total liability under this policy, exclusive of costs, shall in no case exceed the face of the policy, and every payment of the Company shall reduce the policy by the amount paid. When the Company shall have paid a loss under this policy it shall be subrogated to all rights and remedies which the Insured may have against any person or property in respect of such claims, or would have if this policy had not been issued, and the Insured shall forthwith transfer all such rights to the Company accordingly. If the payment made by the Company does not cover the loss of the Insured, then such subrogation of the Company shall be proportionate. Or, the Company may, in case this policy covers a mortgagee's interest only, pay the Insured the entire mortgage indebtedness, with interest at the rate specified in the mortgage and thereupon the Insured shall assign and transfer to the Company the mortgage and the indebtedness thereby secured, with all instruments evidencing or securing the same, or shall convey to the Company any estate lawfully vested in the Insured by virtue of foreclosure of the mortgage, and all liability of the Company shall thereupon terminate.


Where the Insured, in good faith, shall have entered into an enforceable contract, in writing, to sell the insured estate or interest, and the title shall have been rejected because of some defect or incumbrance not excepted in this policy, and notice in writing of such rejection shall have been given to this Company within ten days thereafter; for thirty days after receiving such notice this Company shall have the option of paying the loss, of which the Insured must present proper proof, or of maintaining or defending either in its own name or at its option in the name of the Insured some proper action or proceeding, begun or to be begun in a court of competent jurisdiction, for the purpose of determining the validity of the objection alleged by the vendee to the title, and only in case a final determination is made in such action or proceeding, sustaining the objection to the title, shall this Company be liable on this policy.


If this policy covers a mortgagee's interest only, discharge of the mortgage, otherwise than through foreclosure thereof, or by deed in lieu of foreclosure, shall terminate this policy and all liability of the Company hereunder; but if any Insured acquires said land, or any part thereof, by foreclosure or in any other legal manner in satisfaction of said mortgage indebtedness, or any part thereof, then this policy shall continue in force in favor of such Insured and each successor in interest in ownership, subject to all of the conditions and stipulations hereof applicable to an owner of land.

Nothing contained in this policy shall be construed as an insurance against defects or incumbrances created subsequent to the date hereof.

THIS POLICY NO. 198411 CONSISTS OF 4 PAGES WHICH ARE NUMBERED AT THE END OF EACH PAGE









Memorandum

Date:

June 30, 2005

To:

David Breen, Port of Portland

From:

Herb Clough, P.E.

CC:

David Ashton, Port of Portland

Lorali Sinnen, Port of Portland

Re:

Rogers Terminal and Shipping Environmental Baseline

Terminal 4 1096-00

This memorandum presents the Environmental Baseline for the Rogers Terminal and Shipping (Rogers) leasehold at the Port of Portland (Port) Terminal 4. Figure 1 shows the approximate location of the leasehold at Terminal 4. Figure 2 is a site plan of the historical Rogers facility. Figure 3 is a site plan showing the approximate area of the proposed leasehold. In support of the renewal of the Rogers lease, the Port has requested preparation of this Environmental Baseline. The scope of the Environmental Baseline is limited to the following specific tasks:

- Review readily available documents from the ongoing remedial investigation of the Terminal 4 Slip 1 Upland Facility
 (RI) that includes the area occupied by Rogers;
- Tabulate data collected to date as part of the ongoing RI from the leasehold and its immediate vicinity; and
- Conduct a walk of the leasehold and interview Rogers employees.

This memorandum consists of two parts. The first part presents the results of the document review and the tabulation of the RI data. The second part describes the observations/results of the site walk and interview.

Part 1 - Document Review and Data Tabulation

Terminal 4 Slip 1 RI Work Plan. The Terminal 4 Slip 1 RI Work Plan, dated August 20, 2004, included a comprehensive review of historical environmental documents. The following summarizes information from the work plan related to prior investigations of the Rogers leasehold and immediate vicinity. The reports listed were not reviewed for the Environmental Baseline.

9615 Southwest Allen Boulevard, Suite 106 Portland, Oregon 97005-4814 (503) 924-4704 Portland (360) 567-3977 Vancouver (503) 924-4707 Fax www.ashcreekassociates.com

- Hahn and Associates, Inc. (HAI). An Environmental Review, Rogers Terminal and Shipping Facility, Terminal 4, Port of Portland. October 30, 1989. In October 1989, the Port retained HAI to conduct an environmental review of the buildings, property, and operations at the Rogers facility. The review consisted of a site survey and a regulatory review of the conditions and operations at the locations that were of environmental concern. The survey identified one unregistered underground storage tank (UST) and visible soil staining in the area of an above-ground used oil tank. The UST was subsequently removed (see the following paragraph). The review identified hazardous materials in storage or use at the facility including paint thinners, gasoline, paints, spray lubricants, and solvents. At that time, Rogers was a permitted small quantity hazardous waste generator.
- HAI. Underground Storage Tank Decommissioning. November 30, 1990. This report summarizes the decommissioning by removal of a 10,000-gallon gasoline UST at the east-end of the former Gearlocker building at the Facility (identified in the prior site assessment discussed above). Upon removal of the UST, groundwater was not encountered in the excavation. Two soil samples were collected from the UST excavation. Gasoline was detected in one of the two samples, at a concentration of 7 parts per million (ppm). This concentration is below the matrix cleanup standard for USTs.
- Hart Crowser. Environmental Assessment Report, Marine Terminal 4, Portland, Oregon. August 12, 1991. An environmental site reconnaissance was conducted of Terminal 4. The purpose was to assist the Port in developing environmental management plans for the terminal. The reconnaissance was focused primarily on a review of hazardous waste management practices, current discharges, and a review of regulatory agency files. The only significant finding identified in the report was twelve 55-gallon drums outside the north side of the Rogers facility building. The drums were sitting on bare soil. The reconnaissance did not include identification of the contents of the drums.
- HAI. Response to Oregon DEQ Comments in May 14, 2001 Letter. January 28, 2003. The DEQ's May
 14, 2001 letter constituted DEQ's comments on a Preliminary Assessment of Terminal 4 prepared by the
 Port. The HAI response letter included documentation of the soil removal associated with the former
 Rogers aboveground used oil tank discussed in the Environmental Review above.

Based on these reports and other historical documentation reviewed, the RI work plan identified potential areas of concern to be investigated during the RI. No specific areas of concern were identified associated with then current operations at the Rogers facility, but four historical areas of concern were identified at or near the facility. These areas of concern were a former fueling station, a storage building, the railroad alignments, and the gearlocker building, as discussed below.

 Former Gas Fueling Station – A 1966 map and historical information indicate the presence of a gas fueling station along the southern side of Carroll Road, on the immediate north edge of the Rogers leasehold. The gas station was apparently used during the U.S. Army Transport Service tenancy at Terminal 4, between the period of 1942 and 1947. No other information about this facility could be found.

- Utility Storage Building Interviews with Port employees indicate a small building about 50 feet south of the Rogers leasehold was formerly a hazardous materials storage shed, used to store paint supplies and industrial cleaning agents. The building is approximately 10 feet by 10 feet in dimension and has a concrete floor. The area around the building is paved with asphaltic concrete.
- Railroad Alignments The earliest tracks in the railroad alignment on the eastern border of the Rogers leasehold were constructed in 1906 to provide transport of goods in and out of Terminal 4. Additional rail lines were added, improved and modified up until 1996. Periodic maintenance in the area has included replacement of tracks and ties, addition of new lines, or repair for accommodation of new import/export products. In April 2001, URS conducted an evaluation of soil along railroad track 401. The evaluation included the collection of soil samples from five locations along the track. At each location samples were collected from depths of 0 to 6 inches, 6 to 12 inches, and 12 to 16 inches below the ground surface and analyzed for total metals and metals by TCLP. The analytical results indicated a maximum lead concentration (by TCLP) in the shallow soil of 194 mg/L. At the intermediate and deep samples, TCLP maximum lead concentrations were 2.42 mg/L and 0.13 mg/L respectively, suggesting minimal leaching of lead from the surface soil.
- Gearlocker and Maintenance Building The Gearlocker building is located at the west edge of the Rogers leasehold. It was built in 1932 and housed a blacksmith, paint, carpenter, and auto shop, electrical room, and an area labeled "oil room" along with other maintenance and office facilities. Historical information shows that this building was also used for painting activities during the Army tenancy. A reconnaissance of the building identified no existing operations in the building, although Port personnel reported an area of soil staining outside the auto shop. Historical waste management and chemical storage practices in and around the building are not known.

Terminal 4 Slip 1 Upland RI Data Tabulation. The RI for the Terminal 4 Slip 1 Upland facility is currently underway. Data collection included soil and groundwater from explorations completed to address the above identified areas of concern on and near the Rogers leasehold. Figure 2 is a site plan showing the location of explorations conducted for the RI in the vicinity of the Rogers leasehold. Tables 1 through 17 list data for samples collected on or near the leasehold. The data are organized as follows:

- Soil No soil samples were collected on the leasehold. Data from soil samples collected from nearby borings are
 listed in Tables 1 through 5.
- Grab Groundwater Samples Grab groundwater samples were collected from borings on and near the leasehold. Tables 6 through 11 list these data.

Port of Portland Rogers Terminal and Shipping Environmental Baseline Memorandum

Page 3

 Groundwater from Monitoring Wells – Groundwater samples were collected from monitoring wells located downgradient from the leasehold. These data are listed in Tables 12 through 17.

The Port's Phase III RI Work Plan was submitted to the DEQ on June 13, 2005. No additional sampling is proposed on the Rogers leasehold. The work plan proposes the following additional sampling in the vicinity of the Rogers leasehold:

- Soil Three surface soil samples are planned around the location of SB-77. These samples will be collected from locations 10 feet to 80 feet south of the Rogers leasehold. The samples will be analyzed for lead.
- Groundwater One groundwater monitoring well will be installed near the location of SB-67. The well will be installed about 120 feet west of the Rogers leasehold. The groundwater sample will be analyzed for polynuclear aromatic hydrocarbons.

Part 2 - Leasehold Facility Walk and Interview

On May 26, 2005, Julie Le Gassick of Ash Creek Associates performed a site reconnaissance of the facility accompanied by Dave Breen and Lorali Sinnen of the Port and K.C. Bacon, Mark Price, and Marlin Horton of Rogers. Site reconnaissance findings were documented in field notes and with photographs. Photographs are provided in Attachment A, with locations and shooting directions shown on Figure 2.

Interview

K. C. Bacon, Mark Price, and Marlin Horton of Rogers were interviewed as part of the site reconnaissance. Mr. Bacon reported that Rogers has occupied the facility since the mid 1980s. The facility has been used to store equipment used for loading and unloading ships docked at Terminal 4. Mr. Bacon reported that currently Rogers uses the facility for storage of tarps, boxed equipment, lumber, metal, and for light maintenance of vehicles and metal gangways.

Site Reconnaissance

The leasehold for the facility includes two buildings (the eastern and western buildings) and adjacent outside areas located at Terminal 4.

Buildings. The eastern and western buildings are both constructed of metal roofing and siding (Photograph 1). The siding was partially painted and in fair condition. The concrete-paved floor in both buildings was in poor condition and stained in several locations. Wallboard was observed to be molding and in poor condition in the eastern

Port of Portland Rogers Terminal and Shipping Environmental Baseline Memorandum June 30, 2005 Page 4

building. Vinyl floor coverings, painted surfaces, sprayed-on fire retardant, and fluorescent light fixtures were observed in fair condition in the western building.

The eastern building was being used for storage of tarps and boxed equipment. Chemicals stored in a cabinet (Photograph 2) in the building included one 5-gallon container of degreaser fluid, one 5-gallon container of paint thinner, one 5-gallon container of machining fluid, and one 3-gallon container of antifreeze. One pallet of water softener salt was observed on a shelf. The degreaser fluid was reported to be stored at the facility and used only off site for cleaning cables. Three oil-filled automobile motors were present on the floor. An air compressor was observed, and has reportedly never been used by Rogers.

The western building was used to perform light maintenance on fleet vehicles and metal equipment. A closed system sandblasting machine and a parts washer were observed (Photographs 3 and 4). Mr. Horton reported that the sandblasting machine was used infrequently, and the sandblast grit was disposed of once every two to three years. He was not aware of where the grit was disposed. A hydraulic hoist was observed in the floor of the western building (Photograph 4). Mr. Bacon reported that access to the hoist had been sealed, and it was never used by Rogers. A hydraulic oil AST, approximately 20 gallons in capacity, was observed adjacent to the hoist (Photograph 5). The contents of the AST were not known. An air compressor was observed, and has reportedly never been used by Rogers. On the floor of the western building was a metal parts grinder with a strip trap to collect metal filings. Some filings not captured by the tray were present on the floor. Mr. Horton reported that the floor of both buildings were periodically washed, and that the wash water was disposed of in the sanitary sewer. Strip drains were present adjacent to the shop entries on the north and south side of the western building. The strip drains discharge to Outfall S3 located at the east end of Slip 1.

Mr. Horton was not aware of the type of solvent used or the maintenance schedule for the parts washer. He was not aware of any waste disposal documentation. To his knowledge, fluid from the washer had not been disposed of during his tenure at the facility (almost 2 years). Because Rogers personnel were not able to produce disposal documentation, we were unable to draw any conclusions regarding the potential impacts from the parts washer. In a May 31, 2005 follow-up communication, Mr. Price reported that Safety Kleen had been contacted and an annual maintenance schedule was set up for the parts washer.

A variety of chemicals were observed stored on shelves and counters in the western building. Container sizes ranged from aerosol cans to 55-gallon drums. The larger containers (greater than 5 gallons) contained hydraulic and waste oil. Smaller containers consisted of typical automobile maintenance chemicals such as lubricants, cleaners, antifreeze, and paint. Some of the aerosol cans contained chlorinated solvents. Aerosol cans of insecticide were also observed.

Page 5

Two flammable-proof cabinets were observed containing 5-gallon containers of gasoline as well as other flammable liquids. One 5-gallon container of diesel was observed outside the cabinet. Mr. Horton reported that gasoline and diesel are kept with fleet vehicles for fueling while out of town. Mr. Horton also reported that empty aerosol cans are taken to Metro for recycling. Waste oil is generated during oil changes to fleet vehicles. Oil changes are primarily performed off site; however, oil changes are performed at the facility for vehicles that cannot be taken off site. Used oil is removed by a vendor for recycling. Oil spills are wiped up with rags that are washed on the site.

Outside Areas

The outside areas in the Rogers leasehold include the areas immediately adjacent to the buildings. With the exception of the area northeast of the eastern building, all outside areas were paved with asphaltic concrete. Metal gangways, metal piping, and lumber were observed being stored outside (Photographs 6 and 7). Mr. Bacon reported that a gasoline UST was formerly present in between the eastern and western buildings and had been removed in 1990 (see discussion in Part 1 above). A gasoline pump island was still present for the former UST (Photographs 8 and 9). A secondary containment area east of the western building was observed, and was reportedly historically used to store drums of waste oil (Photograph 10). Mr. Bacon reported that tires and used motor oil had been dumped in an area northeast of the eastern building by other Terminal 4 tenants (Photograph 11). Rogers cleaned up the dumped material.

Attachments: Tables 1 through 17 Figures 1 through 3 A – Photographs

TABLE 1 SOIL CHEMISTRY RESULTS: PETROLEUM HYDROCARBONS

ROGERS TERMINAL VICINITY

Sample ID: Date Sampled:	T4S1SB-67-18-1 9/8/2004	T4S1SB-71-1-1 8/26/2004	T4S1SB-72-1-1 8/26/2004	T4S1SB-77-1-1 8/30/2004	T4S1SB-78-1-1
	9/6/2004	0/20/2004	0/20/2004	8/30/2004	8/30/2004
HCID (mg/kg)	:				
Gasoline Range	Det	20 U	20 U		-
Diesel Range	Det	50 U	50 U		
Residual Range	Det	100 U	100 U	-	
TPH (mg/kg)			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Gasoline Range	1,400 Z	_		3.6 U	1.3 J
Diesel Range	21,000 DY	-	_	46 U	42 U
Residual Range	14,000 DO			190 U	26 J

- 1. Only detected compounds are reported in the table.
- 2. TPH =Total petroleum hydrocarbons (TPH) by Northwest Total Petroleum Hydrocarbons (NWTPH).
- 3. mg/kg = Milligrams per kilogram.
- 4. -- = Not analyzed.
- 5. J = The result is an estimated concentration that is less than the method reporting limit (MRL) but greater than or equal to the method detection limit (MDL).
- 6. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- 7. D = The reported result is from a dilution.
- 8. Y = The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
- 9. O = The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
- 10. Z = The chromatographic fingerprint does not resemble a petroleum product.
- 11. Det = Detected at or above the MRL. Follow-up analyses were performed in order to obtain quantitative results.
- 12. Sample ID nomenclature is per the following: type of sample-sample number-depth in feet-designation. For example, T4S1SB-46-1-1 = soil boring (SB) number 46, collected 1 foot below the ground surface, primary sample (1).
- 13. Data from Terminal 4 Slip 1 Remedial Investigation.

TABLE 2 SOIL CHEMISTRY RESULTS: SEMIVOLATILE ORGANIC COMPOUNDS

ROGERS TERMINAL VICINITY

Sample ID:	T4S1SB-67-18-1	T4S1SB-71-1-1	T4S1SB-72-1-1	T4S1SB-77-1-1	T4S1SB-78-1-1	Screening Level
Date Sampled:	9/8/2004	8/26/2004	8/26/2004	8/30/2005	8/30/2005	PRG
PAHs (µg/kg)						
Naphthalene	2,600 D	330 U	330 U	330 U	330 U	190,000
2-Methylnaphthalene	140,000 D	330 U	330 U	330 U	330 U	
Acenaphthylene	500 U	330 U	330 U	330 U	330 U	[
Acenaphthene	5,500 D	330 U	330 U	330 U	330 U	29,000,000
Fluorene	10,000 D	330 U	330 U	330 U	330 U	26,000,000
Dibenzofuran	2,000 D	330 U	330 U	330 U	330 U	3,100,000
Phenanthrene	36,000 D	330 U	330 U	14 J	330 U	-
Anthracene	6,800 D	330 U	330 U	330 U	330 U	100,000,000
Fluoranthene	2,000 D	330 U	330 U	19 J	18 J	22,000,000
Pyrene	16,000 D	330 U	330 U	330 U	17 J	29,000,000
Benzo(b)fluoranthene	620 D	330 U	330 U	330 U	330 U	2,100
Benzo(k)fluoranthene	340 JD	330 U	330 U	330 U	330 U	21,000
Benz(a)anthracene	5,500 D	330 U	330 U	330 U	330 U	2,100
Chrysene	12,000 D	330 U	330 U	330 U	330 U	210,000
Benzo(a)pyrene	1,700 D	330 U	330 U	330 U	330 U	210
Indeno(1,2,3-cd)pyrene	230 JD	330 U	330 U	330 U	330 U	2,100
Dibenz(a,h)anthracene	240 JD	330 U	330 U	330 U	330 U	210
Benzo(g,h,i)perylene	870 D	330 U	330 U	330 U	330 U	
Phenois/Phthalates (µg/kg)						
Phenol ^{12.}		330 U	330 U	330 U	330 U	100,000,000
Di-n-butyl Phthalate ^{12.}	<u></u>	330 U	330 U	330 U	330 U	62,000,000
Bis(2-ethylhexyl) Phthalate12.		47 J	330 U	330 U	330 U	120,000

- 1. Only detected compounds are reported in the table.
- 2. PAHs = Polynuclear Aromatic Hydrocarbons by EPA Method 8270C (SIM).
- 3. µg/kg = Micrograms per kilogram.
- 4. -- = Not analyzed.
- 5. J = The result is an estimated concentration that is less than the method reporting limit (MRL) but greater than or equal to the method detection limit (MDL).
- 6. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- 7. D = The reported result is from a dilution.
- 8. Phthalate/Phenoi analyses by EPA Method 8270C only.
- 9. Sample ID nomenclature is per the following: type of sample-sample number-depth in feet-designation.

 For example T4S1SB-46-1-1 = soil boring (SB) number 46, collected 1 foot below the ground surface, primary sample (1).
- 10. Data from Terminal 4 Slip 1 Remedial Investigation.
- 11. PRG = EPA Region 9 Preliminary Remediation Goal (PRG) for Industrial Soil (October 2004).

TABLE 3 SOIL CHEMISTRY RESULTS: VOLATILE ORGANIC COMPOUNDS

ROGERS TERMINAL VICINITY

Sample ID:	T4S1SB-67-18-1	T4S1SB-71-1-1	T4S1SB-72-1-1	T4S1SB-77-3-1	T4S1SB-78-3-1	Screening Level
Date Sampled:	9/8/2004	8/26/2004	8/26/2004	8/30/2004	8/30/2004	PRG
VOCs (µg/kg)						
Acetone	250	20 J	26 U	21 U	21 U	54,000,000
Carbon Disulfide	27 U	5.7 U	6.5 U	5.1 U	5.2 U	720,000
Dichloromethane (Methylene Chloride)	87	14	3.6 J	3.1 J	3.3 J	21,000
2-Butanone (MEK)	110 U	23 U	26 U	21 U	21 U	110,000,000
Chloroform	27 U	5.7 U	6.5 U	5.1 U	5.2 U	470
Carbon Tetrachloride	27 U	5.7 U	6.5 U	5.1 U	5.2 U	550
Benzene	130	5.7 U	6.5 U	5.1 U	5.2 U	1,400
Trichloroethene (TCE)	27 U	5.7 U	6.5 U	5.1 U	5.2 U	110
Toluene	58	5.7 U	6.5 U	5.1 U	5.2 U	520,000
Tetrachloroethene (PCE)	4.8 J	5.7 U	6.5 U	5.1 U	5.2 U	1,300
Chlorobenzene	27 U	5.7 U	6.5 U	5.1 U	5.2 U	530,000
Ethylbenzene	790	5.7 U	6.5 U	5.1 U	5.2 U	400,000
m,p-Xylenes	560	5.7 U	6.5 U	5.1 U	5.2 U	420,000
o-Xylene	2.6	5.7 U	6.5 U	5.1 U	5.2 U	420,000
Isopropylbenzene	290	23 U	26 U	21 U	21 U	2,000,000
n-Propylbenzene	1.8	23 U	26 U	21 U	21 U	240,000
1,3,5-Trimethylbenzene	1.3	23 U	26 U	21 U	21 U	70,000
1,2,4-Trimethylbenzene	2.6	23 U	26 U	21 U	21 U	220,000
sec-Butylbenzene	0.87	23 U	26 U	21 U	21 U	220,000
4-Isopropyitoluene	1.8	23 U	26 U	21 U	21 U	
1,4-Dichlorobenzene	0.054 U	5.7 U	6.5 U	5.1 U	5.2 U	7,900
n-Butylbenzene	3	23 U	26 U	21 U	21 U	240,000
Naphthalene	1	23 U	26 U	1.9 J	1.2 J	190,000

- 1. Only detected compounds are reported in the table.
- 2. VOCs = Volatile Organic Compounds by EPA Method 8260B.
- 3. μg/kg = Micrograms per kilogram.
- 4. -- = Not analyzed.
- 5. J = The result is an estimated concentration that is less than the method reporting limit (MRL) but greater than or equal to the method detection limit (MDL).
- 6. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- Sample ID nomenclature is per the following: type of sample-sample number-depth in feet-designation.
 For example T4S1SB-46-1-1 = soil boring (SB) number 46, collected 1 foot below the ground surface, primary sample (1).
 T4S1S-6 = surface soil sample number 6.
- 8. Data from Terminal 4 Slip 1 Remedial Investigation.
- 9. PRG = EPA Region 9 Preliminary Remediation Goal (PRG) for Industrial Soil (October 2004).

TABLE 4 SOIL CHEMISTRY RESULTS: POLYCHLORINATED BIPHENYLS

ROGERS TERMINAL VICINITY

Sample ID:	T4S1SB-67-18-1	Screening Level
Date Sampled:	9/8/2004	PRG
PCBs (mg/kg)		
Aroclor 1254	0.065 Ui	0.74
Aroclor 1260	0.065 ป	0.74
Arodor 1262	-	
Aroclor 1268		

- 1. Only detected compounds are reported in the table.
- 2. PCBs = Polychlorinated Biphenyls by EPA Method 8082.
- 3. mg/kg = Milligrams per kilogram.
- 4. = Not analyzed.
- 5. J = The result is an estimated concentration that is less than the method reporting limit (MRL) but greater than or equal to the method detection limit (MDL).
- 6. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- 7. i = The MRL/MDL was elevated due to a chromatographic interference.
- Sample ID nomenclature is per the following: type of sample-sample number-depth in feet-designation.
 For example T4S1SB-46-1-1 = soil boring (SB) number 46, collected 1 foot below the ground surface, primary sample (1).
 T4S1S-6 = surface soil sample number 6.
- 9. Data from Terminal 4 Slip 1 Remedial Investigation.
- 10. PRG = EPA Region 9 Preliminary Remediation Goal (PRG) for Industrial Soil (October 2004).

TABLE 5 SOIL CHEMISTRY RESULTS: METALS

ROGERS TERMINAL VICINITY

Sample ID:	T4S1SB-67-18-1	T4S1SB-71-1-1	T4S1SB-72-1-1	T4S1SB-77-1-1	T4S1SB-78-1-1	Screening L	evels
Date Sampled:	9/8/2004	8/26/2004	8/26/2004	8/30/2004	8/30/2004	Background	PRG
Metals (mg/kg)							·
Antimony	0.06 N	0.07 N	0.11 N	0.3 N	0.11 N	5	410
Arsenic	2.32	2.48	1.75	2.85	3.66	5.8	1.6
Beryllium	0.301	0.278	0.37	0.336	0.297	2.1	1,900
Cadmium	0.061	0.07	1.65	0.123	0.122	0.9	450
Chromium	17	14.6	21.5	18.9	17.2	26	450
Copper	12	12.8	16.9	21.6	23.1	34	41,000
Lead	2.69	2.7	5.97	1,060 *	43 *	24	800
Mercury	0.019 U	0.009 B	0.016 B	0.067	0.017	0.04	310
Nickel	20.4	16.8	28	23.7	46.7	21	20,000
Selenium	0.3 B	0.2 B	0.3 B	0.4 B	2.4	0.8	5,100
Silver	0.025	0.017 B	0.037	0.037	0.049	0.6	5,100
Thallium	0.046	0.048	0.058	0.068	0.071	<5	67
Zinc	50.4	49.5	514	70.6	63.3	95	100,000

- 1. Only detected compounds are reported in the table.
- 2. Metals using EPA 6000-7000 Series Methods.
- 3. mg/kg = Milligrams per kilogram.
- 4. -- = Not analyzed.
- 5. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- B = The result is an estimated concentration that is less than the MRL but greater than or equal to the method detection limit (MDL).
- 7. N = The matrix spike sample recovery is not within control limits. The case narrative suggests that soil samples digested with EPA Method 3050 for Antimony should only be used as indicators to estimate concentrations.
- 8. * = The laboratory duplicate analysis was not within control limits. The laboratory attributed the variability to the heterogeneous character of the sample.
- 9. Data from Terminal 4 Slip 1 Remedial Investigation.
- 10. PRG = EPA Region 9 Preliminary Remediation Goal (PRG) for Industrial Soil (October 2004).
- 11. Background Levels are from the Washington Department of Ecology's publication Natural Background Soil Metals Concentrations in Washington State, dated October 1994. Values are the 90th percentile values for Clark County, except for antimony, selenium, silver and thallium where state-wide data were used due to a limited number of detections.

TABLE 6 GRAB SAMPLE CHEMISTRY RESULTS: PETROLEUM HYDROCARBONS

ROGERS TERMINAL VICINITY

Sample ID: Date Sampled:			T4S1GW-63-1 9/9/2004	T4S1GW-64-1 9/9/2004	T4S1GW-66-1 8/31/2004	T4S1GW-66-1 9/9/2004
HCID (µg/L)						
Gasoline Range		-				
Diesel Range						-
Residual Range					-	••
TPH (μg/L)						
Gasoline Range	250 U	19 J	250 U	15 J	12 J	250 U
Diesel Range	250 U	250 U	250 U	250 U	250 U	250 U
Residual Range	500 U	500 U	500 U	500 ป	500 U	500 U

Sample ID: Date Sampled:	T4S1GW-67-1 9/8/2004	T4S1GW-68-1 9/9/2004	T4S1GW-69-1 9/9/2004	T4S1GW-77-1 8/30/2004	T4S1GW-78-1 8/30/2004
HCID (µg/L)					
Diesel Range					-
Residual Range					
TPH (μg/L)					
Gasoline Range	130 J	250 U	250 U	14 J	13 J
Diesel Range	160 J	250 ∪	250 U	250 ∪	250 U
Residual Range	84 J	500 U	500 U	500 U	500 U

- 1. Data from Terminal 4 Slip 1 Remedial Investigation.
- 2. TPH =Total petroleum hydrocarbons (TPH) by Northwest Total Petroleum Hydrocarbons (NWTPH).
- 3. µg/L = Micrograms per liter.
- 4. -- = Not analyzed.
- 5. J = The result is an estimated concentration that is less than the method reporting limit (MRL) but greater than or equal to the method detection limit (MDL).
- 6. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- 7. Borings completed on the Rogers leasehold are indicated by shading.

TABLE 7 GRAB SAMPLE CHEMISTRY RESULTS: POLYNUCLEAR AROMATIC HYDROCARBONS

ROGERS TERMINAL VICINITY

Sample ID:	T4S1GW-43-1	T4S1GW-44-1	T4S1GW-63-1	T4S1GW-64-1	T4S1GW-85-1	T4S1GW-66-1	T4S1GW-67-1	T4S1GW-77-1	T4S1GW-78-1	Scree	ning Levels
Date Sampled:	8/31/2004	8/31/2004	9/9/2004	9/9/2004	8/31/2004	9/9/2004	9/8/2004	8/30/2004	8/30/2004	EPA	Eco Criteria
PAHs (μg/L)						[i
Naphthalene	0.017 J	0.014 J	0.02	0.02 J	0.011 J	0.014 J	0.15	9.6 U	9.6 U	-	620
1-Methylphenanthrene	-		-	-	-	-	-		-		- [
2-Methylnaphthalene	0.014 J	0.0066 J	0.016 J	0.011 J	0.0056 J	0.01 J	1.2	9.6 U	9.6 U		-
Acenaphthylene	0.0067 J	0.003 J	0.0052 J	0.0047 J	0.007 J	0.0058 J	0.02 U	9.6 ∪	9.6 U	-	-
Acenaphthene	0.0022 J	0.0022 J	0.0027 J	0.0024 J	0.0026 J	0.0037 J	0.23	ND	ND	990	520
Dibenzofuran	0.02 じ	0.02 U	0.068	ND	ND		3.7				
Fluorene	0.02 U	0.02 U	0.0032 J	0.0047 J	0.0029 J	0.0083 J	0.36	ND	ND	5,300	3.9
Phenanthrene	0.019 J	0.017 J	0.031	0.028	0.031	0.052	0.87	9.6 U	9.6 U		6.3
Anthracene	0.0097 J	0.017 J	0.017 J	0.011 J	0.018 J	0.015 J	0.15	9.6 U	9.6 U	40,000	13
Fluoranthene	0.044	0.023	0.051	0.022	0.049	0.061	0.049	9.6 U	9.6 U	140	6.16
Pyrene	0,051	0.025	0.063	0.032	0.061	0.068	0.22	9.6 U	9.6 U	4,000	\ - {
Benz(a)anthracene	0.028	0.011 J	0.03	0.012 J	0.027	0.029	0.054	9.6 U	9.6 U	0.018	0.027
Chrysene	0.032	0.011 J	0.034	0.019 J	0.028	0.031	0.11	9.6 U	9.6 ป	0.018	-
Benzo(b)fluoranthene	0.018 J	0.0081 J	0.027	0.0088 J	0.015 J	0.025	0.0091 J	9.6 U	9.6 ∪	0.018	1 - 1
Benzo(k)fluoranthene	0.022	0.0062 J	0.028	0.0073 J	0.016 J	0.022	0.0038 J	9.6 ∪	9.6 ∪	0.018	i - I
Benzo(a)pyrene	. 0.026	0.0078 J	0.03	0.011 J	0.021	0.029	0.013 J	9.6 ∪	9.6 ∪	0.018	0.014
Indeno(1,2,3-cd)pyrene	0.015 J	0.0064 J	0.024	0.0083 J	0.011 J	0.02	0.0028 J	9.6 U	9.6 U	0.018	i I
Dibenz(a,h)anthracene	0.0033 J	0.0019 J	0.0052 J	0.02 U	0.0027 J	0.0042 J	0.0019 J	ND	ND	0.018	
Benzo(g,h,i)perylene	0.015 J	0.0067 J	0.023	0.01 J	0.01 J	0.019 J	0.0068 J	9.6 U	9.6 U		

- 1. Only detected compounds are reported in the table.
- 2. PAHs = Polynuclear Aromatic Hydrocarbons by EPA Method 8270C (SIM).
- 3. µg/L = Micrograms per liter.
- 4. -- = Not analyzed.
- J = The result is an estimated concentration that is less than the method reporting limit (MRL) but greater than or equal to the method detection limit (MDL).
- 6. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- 7. Data from Terminal 4 Slip 1 Remedial Investigation.
- 8. Borings completed on the Rogers leasehold are indicated by shading.
- EPA AWQC = EPA National Recommended Water Quality Criteria: 2002 Human Health for Consumption of Fish.
- 10. Eco Criteria = EPA National Recommended Water Quality Criteria: 2002 for CCC Freshwater Biota (noted with a.). Where CCC values are not available, Oregon Department of Environmental Quality Level II Screening Level Values (SLVs) for Surface Water Aquatic are listed.

TABLE 8 GRAB SAMPLE CHEMISTRY RESULTS: VOLATILE ORGANIC COMPOUNDS

ROGERS TERMINAL VICINITY

Sample ID:		T4S1GW-44-1	T4S1GW-63-1	T4S1GW-64-1	T4S1GW-66-1	T4S1GW-66-1	T4S1GW-67-1	T4S1GW-77-1	T4S1GW-78-1	Screenin	g Levels
Date Sampled:	8/31/2004	8/31/2004	9/9/2004	9/9/2004	8/31/2004	9/9/2004	9/8/2004	8/30/2004	8/30/2004	EPA AWQC	Eco Criteria
VOCs (µg/L)			1								
Vinyi Chloride	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 ↓	0.50 ∪	0.50 ∪	0.50 U	530	
Acetone	20 U	20 ∪	20 U	20 ∪	-	1,500					
1,1-Dichloroethene (1,1-DCE)	0.50 ∪	0.50 U	0.50 ป	0.50 ∪	0.50 U	3.2	25				
Carbon Disulfide	0.50 U	0.50 ∪	0.49 J	0.50 U	0.21 J	0.50 U	0.50 ∪	0.50 U	0.16 J		0.92
trans-1,2-Dichloroethene	0.50 U	0.50 U	0.50 ∪	0.50 U	0.50 U	0.50 U	0.50 U	0.50 ∪	0.50 U	140,000	590
1,1-Dichloroethane (1,1-DCA)	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U		47
2-Butanone (MEK)	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U		-
cis-1,2-Dichloroethene	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 ป		590
Chloroform	0.50 U	0.50 U	0.50 U	0.50 U	0,50 U	0.50 U	0.50 U	0.50 U	0.50 U	470	1,240
1,1,1-Trichloroethane (TCA)	0.50 U	0.50 U	0.50 ∪	0.50 ひ	0.50 U	0.50 U	0.50 U	0.22 J	0.12 J		11
Benzene	0.50 U	0.50 ∪	0.50 U	0.50 U	0.50 U	0.50 U	0.16 J	0.50 U	0.50 ∪	51	130
Trichloroethene (TCE)	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 ∪	30	21,900
Toluene	0.50 U	0.50 บ	0.14 J	0,2 J	0.50 U	0.50 U	0.11 J	0.50 U	0.50 U	200,000	9.8
Tetrachloroethene (PCE)	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	1.4	0.51	3.3	840
Chlorobenzene	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 ป	21,000	50
Ethylbenzene	0.50 U	0.50 ป	0.50 U	0.50 U	0.50 U	0.50 U	0.14 J	0.50 U	0.50 U	29.000	7.3
m,p-Xylenes	0.50 U	0.50 ∪	0.50 U		1.8						
o-Xylene	0.50 U	0.50 ∪	0.50 U	0.50 U	0.50 U	0.50 U	0.29 J	0.50 U	0.50 U		
Isopropylbenzene	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 ∪	0.17 J	2.0 U	2.0 U		
n-Propylbenzene	2.0 ℃	2.0 U	2.0 U	2.0 U	2.0 U	2.0 ∪	0.39 J	2.0 U	2.0 U	(
1,2,4-Trimethylbenzene	2.0 ∪	2.0 ∪	2.0 ∪	2.0 U	2.0 ∪						
sec-Butylbenzene	2.0 ∪	2.0 U	0.15 J	2.0 U	2.0 U						
1,3-Dichlorobenzene	0.50 ∪	0.50 U	960	71							
1,4-Dichlorobenzene	0.50 ∪	0.50 ∪	0.50 ป	0.50 U	2,600	15					
n-Butylbenzene	2.0 U	2.0 U	2.0 Ų	2.0 Ų	2.0 U	2.0 U	0.51 J	2.0 U	2.0 U		
Naphthalene	2.0 U	2.0 ∪	2.0 U	2.0 U	2.0 U	2.0 U	0.36 J	2.0 U	2.0 U	_	620

- 1. Only detected compounds are reported in the table.
- 2. VOCs = Volatile Organic Compounds by EPA Method 8260B.
- μg/L = Micrograms per liter.
- J = The result is an estimated concentration that is less than the method reporting limit (MRL) but greater than or equal to the method detection limit (MDL).
- 5. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- 6. Data from Terminal 4 Slip 1 Remedial Investigation.
- 7. Borings completed on the Rogers leasehold are indicated by shading.
- EPA AWQC = EPA National Recommended Water Quality Criteria: 2002 Human Health for Consumption of Fish.
- Eco Criteria = EPA National Recommended Water Quality Criteria: 2002 for CCC Freshwater Biota (noted with a.). Where CCC values are not available, Oregon Department of Environmental Quality Level II Screening Level Values (SLVs) for Surface Water Aquatic are listed.

TABLE 9 GRAB SAMPLE CHEMISTRY RESULTS: POLYCHLORINATED BIPHENYLS

ROGERS TERMINAL VICINITY

San	Sample ID: T4S1GW-63-1 Date Sampled: 9/9/2004		T4S1GW-64-1	T4S1GW-65-1	T4S1GW-66-1	T4S1GW-67-1	Screeni	ng Levels
Date Sa			9/9/2004	8/31/2004	9/9/2004	9/8/2004	EPA AWQC	Eco Criteria
PCBs (µg/L)							0.000064	0.014 ^{a.}
Aroclor 1016		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		
Arodor 1221		0.39 U	0.39 U	0.39 U	0.39 U	0.39 U		0.28
Aroclor 1232		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		0.58
Aroclor 1242		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		0.053
Arodor 1248		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1	0.081
Aroclor 1254		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		0.033
Aroclor 1260		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		94

- 1. Only detected compounds are reported in the table.
- 2. PCBs = Polychlorinated Biphenyls by EPA Method 8082.
- 3. µg/L = Micrograms per liter.
- 4. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- 5. Data from Terminal 4 Slip 1 Remedial Investigation.
- 6. Borings completed on the Rogers leasehold are indicated by shading.
- 7. EPA AWQC = EPA National Recommended Water Quality Criteria: 2002 Human Health for Consumption of Fish.
- Eco Criteria = EPA National Recommended Water Quality Criteria: 2002 for CCC Freshwater Biota
 (noted with a.). Where CCC values are not available, Oregon Department of Environmental Quality Level II
 Screening Level Values (SLVs) for Surface Water Aquatic are listed.

TABLE 10 GRAB SAMPLE CHEMISTRY RESULTS: METALS

ROGERS TERMINAL VICINITY

	Sample ID:	T481GW-43-1	T481GW-44-1	T4S1GW-63-1	T4\$1GW-64-1	T481GW-66-1	T4S1GW-66-1	T4\$1GW-67-1	T4S1GW-77-1	T4S1GW-78-1	Screenin	g Levels
	Date Sampled:	8/31/2004	8/31/2004	9/9/2004	9/9/2004	8/31/2004	9/9/2004	9/8/2004	8/30/2004	8/30/2004	EPA AWQC	Eco Criteria
Total Metals	(µg/L)											
Antimony		0.12 N	0.04 B	0.02 B	0.05 U	0.02 B	0.05 U	0.03 B	0.08	0.06	640	1,600
Arsenic		19.1	5.3	0.9	1.7	5.2	2.4	4.6	1.8	1.2	0.14	150 *
Beryllium		0.657	0.217	0.04	0.06	0.184	0.21	0.58	0.23	0.07		5.3
Cadmium		0.07	0.03	0.03	0.02 U	0.02	0.07	0.05	0.06	0.02 U		0.25
Chromium		7.37	3.64	1.06	1.29	2.82	5.69	13.6	6.95	3.92	-	74 ^{III.} , 11 ^{VI.}
Copper		7.18	4.51	1.55	1.99	3.85	10.5	15.4	6.24	2.48	-	9 ■
Lead		6.39	2.3	1.86	1.03	1.79	3.23	4.8	3.52	0.78	-	2.5 *.
Mercury		0.2 ∪	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		0.77 *
Nickel		7.07	5.62	4.13	4.34	4.16	8.36	17.5	14.6	8.69	4,600	52 *
Selenium		0.8 B	0.8 B	0.6 B	0.7 B	0.5 B	0.5 8	0.6 B	1.1 B	2 B	4,200	5 *
Silver		0.02 U	0.02 ∪	0.02 U	0.02 U	0.02 U	0.02 U	0.015 B	0.03	0.01 B	_	0.12
Thallium		0.051	0.027	0.006 B	0.008 B	0.024	0.034	0.053	0.045	0.017 B	6.3	40
Zinc		11.3	10.9	7.44	7.45	7.6	19.9	44.9	21.1	9.8	26,000	120 ^{s.}
Dissolved Me	etais (µg/L)							1				·
Antimony		0.05 U	0.05 U	0.05 บ	0.05 U	0.05 U	0.05 U	0.05 U	0.05	0.04 B	640	1,600
Arsenic		0.3 B	0.3 B	0.4 B	0.3 B	1.8	1.7	1.1	0.3 B	0.4 B	0.14	150 *
Beryllium		0.02 U	0.02 U	0.02 U	0.02 U	0.02 Ü	0.02 ∪	0.02 U	0.02 U	0.02 U		5.3
Cadmium		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	_	0.25 *
Chromium		0.24	0.22	0.19 B	0.24	0.16 B	0.2 B	0.16 B	0.78	1,38	_ [74 "", 11 V ^L
Copper	į	0.35	0.52	0.65	0.68	0.34	0.25	0.49	0.34	0.35	_	9 4.
Lead		0.028	0.02 U	0.07	0.02	0.024	0.02 B	0.04	0.02 U	0.02 U		2.5 *
Mercury		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U		0.77 *
Nickel		1.81	2.29	3.38	3.07	1.83	1.28	2.67	5.37	6.4	4,600	52 ª·
Selenium		1 U	0.7 B	0.7 B	0.7 B	0.6 B	0.5 B	0.4 B	1.5 B	1.9 B	4,200	5 *
Silver		0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	_	0.12
Thallium		0.008 B	0.02 U	0.02 U	0.02 U	0.007 B	0.02 U	0.02 U	0.009 B	0.008 B	6.3	40
Zinc		0.6	1.4	4.06	3.28	1.8	0.85	2.83	1.1	1.4	26,000	120 ª

- 1. Total/Dissolved Metals using EPA 6000-7000 Series Methods.
- 2. µg/L = Micrograms per liter.
- B = The result is an estimated concentration that is less than the MRL but greater than or equal to the method detection limit (MDL).
- 4. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- N = The matrix spike sample recovery is not within control limits. The case narrative suggests that this sample may be biased low.
- 6. Data from Terminal 4 Slip 1 Remedial Investigation.
- 7. Borings completed on the Rogers leasehold are indicated by shading.
- EPA AWQC = EPA National Recommended Water Quality Criteria: 2002 Human Health for Consumption of Fish.
- Eco Criteria = EPA National Recommended Water Quality Criteria: 2002 for CCC Freshwater Biota (noted with a.). Where CCC values are not available, Oregon Department of Environmental Quality Level II Screening Level Values (SLVs) for Surface Water Aquatic are listed.
- 10. " = SLV for Chromium III.
- 11. VI. = SLV for Chromium VI.

TABLE 11 GRAB SAMPLE CHEMISTRY RESULTS: SEMIVOLATILE ORGANIC COMPOUNDS

ROGERS TERMINAL VICINITY

Sample ID:	T4S1GW-77-1	T4S1GW-78-1	Screenin	g Levels
Date Sampled:	8/30/2004	8/30/2004	EPA AWQC	Eco Criteria
SVOCs (µg/L)				
Phenol	9.6 U	9.6 U	1,700,000	110
4-Methylphenol	9.6 U	9.6 U		
Isophorone	9.6 U	9.6 U	960	2,340
4-Chloroaniline	9.6 U	9.6 U		**
4-Chloro-3-methylphenol	9.6 U	9.6 U		
Dimethyl Phthalate	9.6 U	9.6 U	1,100,000	3
Diethyl Phthalate	9.6 U	9.6 U	44,000	210
Di-n-butyl Phthalate	9.6 U	9.6 U	4,500	35

- 1. Only detected compounds are reported in the table.
- 2. SVOCs = Semivolatile Organic Compounds by EPA Method 8270C.
- 3. μ g/L = Micrograms per liter.
- 4. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- 5. Data from Terminal 4 Slip 1 Remedial Investigation.
- 6. EPA AWQC = EPA National Recommended Water Quality Criteria: 2002 Human Health for Consumption of Fish.
- Eco Criteria = EPA National Recommended Water Quality Criteria: 2002 for CCC Freshwater Biota
 (noted with a.). Where CCC values are not available, Oregon Department of Environmental Quality Level II
 Screening Level Values (SLVs) for Surface Water Aquatic are listed.

TABLE 12 GROUNDWATER CHEMISTRY RESULTS: PETROLEUM HYDROCARBONS

ROGERS TERMINAL VICINITY

		TPH (μg/L)								
Sample ID:	Date Sampled:	Gasoline Range	Diesel Range	Residual Range						
T4S1MW09-GW-1	4/20/2004	50 U	260 U	520						
T4S1MW09-GW-1	9/1/2004	250 U	250 U	500 U						
T4S1MW09-GW-1	2/9/2005	13 U	19 U	35 J						
T4S1MW10-GW-1	4/19/2004	50 บ	270 U	530 U						
T4S1MW10-GW-1	9/1/2004	250 U	250 U	500 U						
T4S1MW10-GW-1	2/4/2005	13 J	19 U	28 U						

- 1. TPH =Total petroleum hydrocarbons (TPH) by Northwest Total Petroleum Hydrocarbons (NWTPH).
- 2. μg/L = Micrograms per liter.
- 3. J = The result is an estimated concentration that is less than the method reporting limit (MRL) but greater than or equal to the method detection limit (MDL).
- 4. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- 5. Data from Terminal 4 Slip 1 Remedial Investigation.

TABLE 13 GROUNDWATER CHEMISTRY RESULTS: POLYNUCLEAR AROMATIC HYDROCARBONS

ROGERS TERMINAL VICINITY

	ſ										PAHs (µg/L)									
Sample ID:	Date Sampled:	Naphthalene	1-Methyphenanthrene	2-Methylnaphthalene	Acenaphthylene	Acenaphthene	Dibenzofuran	Fluorene	Phenanthrene	Anthracene	Fluoranthene	Pyrene	Benz(a)anthracene	Chrysene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Benzo(a)pyrene	Indeno(1,2,3-cd)pyrane	Diberz(a,h)anthracene	Benzo(g,h,i)perylene
T4S1MW09-GW-1	4/20/2004	0.0087 J	-	_	0.0026 J	0.0028 J		0.004 J	0.0075 J	0.05	0.0081 J	0.0078 J	0.0062 J	0.0045 J	0.0043 J	0.0045 J	0.003 J	0.0025 J	0.022 U	0.0036 J
T4S1MW09-GW-1	9/1/2004	0.022	_	0.013 J	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.03	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 ∪	0.020 U
T4S1MW09-GW-1	2/9/2005	0.0080 J	0.0037 U	0.0040 U	0.0031 U	0.0042 U	0.0044 U	0.0051 U	0.0043 J	0.043	0.0042 U	0.0042 J	0.0040 U	0.0036 U	0.0048 U	0.0041 U	0.0041 U	0.0038 U	0.0066 U	0.020 U
T4S1MW10-GW-1	4/19/2004	0.011 J	_	_	0.0019 J	0.027 U	_	0.027 U	0.0047 J	0.087	0.0064 J	0.0050 J	0.027 U	0.027 U	0.027 U	0.027 U	0.027 U	0.027 U	0.027 U	0.027 U
T4S1MW10-GW-1	9/1/2004	0.025	-	0.014 J	0.020 U	0.020 U	0.020 U	0.020 U	0.020 บ	0.094	0.020 U	0.020 ∪	0.020 U	0.020 U	0.020 U	0.020 U	0.020 €	0.020 U	0.020 U	0.020 ∪
T4S1MW10-GW-1	2/4/2005	0.0014 J	0.0039 J	0.0057 J	0.0062 J	0.0042 U	0,0044 U	0.0051 U	0.0038 U	0.076	0.0042 U	0.0037 U	0.0040 U	0.0036 U	0.0048 U	0.0041 U	0.0041 U	0.0038 U	0.0066 U	0.0041 U
Screening	EPA AWQC	-	-	-	_	990	-	5,300		40,000	140	4,000	0.018	0.018	0.018	0.018	0.018	0.018	0.018	-
Leveis	Eco Criteria	620	-	-		520	3.7	3.9	6.3	13	6.16	l -	0.027		-	-	0.014	~		
	EPA MCL			1	_		_	-		1			-	-			0.2		-	_

- 1. Only detected compounds are reported in the table.
- 2. PAHs = Polynuclear Aromatic Hydrocarbons by EPA Method 8270C (SIM).
- 3. µg/L = Micrograms per liter.
- 4. = Not analyzed.
- 5. J = The result is an estimated concentration that is less than the method reporting limit (MRL) but greater than or equal to the method detection limit (MRL).
- 6. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- 7. Data from Terminal 4 Slip 1 Remedial Investigation.
- EPA AWQC = EPA National Recommended Water Quality Criteria: 2002 Human Health for Consumption of Fish.
- Eco Criteria = EPA National Recommended Water Quality Criteria: 2002 for CCC Freshwater Biota (noted with *). Where CCC values are not available, Oregon Department of Environmental Quality Level II Screening Level Values (SLVs) for Surface Water Aquatic are listed.
- 10. EPA MCL = EPA Maximum Contaminant Level.

TABLE 14 GROUNDWATER CHEMISTRY RESULTS: VOLATILE ORGANIC COMPOUNDS

ROGERS TERMINAL VICINITY

														VOCs	(ug/L)												
Sample ID:	Date Sampled:	Vinyl Chloride	Acetone	1,1-Dichloroethene (1,1-DCE)	Carbon Disuffide	trans-1,2-Dictrionoethene	1,1-Dichlaroethane (1,1-DCA)	2-Butanone (MEK)	cis-1,2-Dichlorcethene	Chloroform	1,1,1-Trichloroethane (TCA)	Benzene	Trichloroethene (TCE)	Toluene	Tetrachloroethene (PCE)	Chlorobenzene	Ethylbenzene	m.p-Xylenas	o-Xylene	leaprapyfbenzene	n-Propy/benzene	1,2,4-Trimethylbenzene	sec-Bulylbenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	n-Bulylbenzene	Naphtralene
T4S1MW09-GW-1	4/20/2004	0.50 U	20 U	0.50 U	0.50 U	0.50 U	0.50 U	20 U	0.50 U	0.50 U	0.50 ป	0.50 U	0.50 U	0.50 U	0.15	0.50 U	0.50 U	0.50 U	0.50 U	2 U	2 U	2 U	2 U	0.50 U	0.50 U	2 U	2 U
T4S1MW09-GW-1	9/1/2004	0.50 U	20 U	0.50 ∪	0.50 U	0.50 U	0.50 U	20 U	0.50 U	0.50 ∪	0.50 U	0.50 U	0.50 U	0.50 U	0.50 ป	0.50 U	0.50 U	0.50 U	0.50 U	20	20	2 U	2 U	0.50 U	0.5 ∪	20	2 U
T4S1MW09-GW-1	2/9/2005	0.22 U	4.1 U	0.13 U	0.16 U	0.15 U	0.11 U	2.0 U	0.12 U	0.14 U	0.12 U	0.14 U	0.14 U	0.11 U	0.13 U	0.14 U	0.13 U	0.22 U	0.11 U	0.11 U	0.096 U	0.15 U	0.13 U	0.11 U	0.12 U	0.23 U	0.29 ∪
T4S1MW10-GW-1	4/19/2004	0.50 U	20 U	0.50 U	0.50 U	0.50 U	0.10 J	20 U	0.19 J	0.50 U	0.50 U	0.50 U	0.19 J	0.22 J	0.24	0.50 U	0.50 U	0.50 U	0.50 U	2 0	2 U	2 0	2 0	0.50 U	0.50 U	2 0	2 Մ
T4\$1MW10-GW-1	9/1/2004	0.50 U	20 U	0.50 U	0.50 U	0.50 U	0.18 J	20 U	0.13 J	0.50 U	0.50 U	0.50 U	0.21 J	0.50 U	0.33 J	0.50 U	0.5 U	0.50 U	0.50 U	20	20	2 U	20	0.50 U	0.5 U	20	
T4S1MW10-GW-1	2/4/2005	0.22 U	4.1 U	0.13 U	D.16 U	0.15 U	0.19 J	2.0 U	0.12 U	0.14 U	0.12 U	0.14 U	0.22 J	0.11 U	0.51	0.14 U	0.13 U	0.22 U	0.11 U	0.11 U	0.098 U	0.15 U	0.13 U	0.11 U	0.12 U	0.23 U	
Screening	EPA AWQC	530	-	3.2		140,000				470		51	30	200,000	3.3	21,000	29,000				-			960	2,600		
Levels	Eco Criteria		1,500	25	0.92	590	47	-	590	1,240	11	130	21,900	9.8	840	50	7.3	1.8	-	-			- 1	71	15		620
	ÉPA MCL	2	- T	7		100		_	70		200	5	5	1,000	5	100	700	10,0	000	-	-		- 1		75		

- Notes:
 1. Only defected compounds are reported in the table.
 2. VOCs = Volatile Organic Compounds by EPA Method 82608.
 3. µpQL = Micrograms per liter.
 4. J = The result is an estimated concentration that is less than the method reporting limit (MRL) but greater than or equal to the method detection from (MDL).
 5. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
 6. Data from Terminal 4 Slip 1 Remedial Investigation.

TABLE 15 GROUNDWATER CHEMISTRY RESULTS: POLYCHLORINATED BIPHENYLS

ROGERS TERMINAL VICINITY

	F				PCBs (µ	g/L)			
Sample ID:	Date Sampled:	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260	Total PCBs
T4S1MW09-GW-1	9/1/2004	0.2 U	0.39 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
T4S1MW09-GW-1	2/9/2005	0.10 U	0.065 U	0.048 U	0.090 ป	0.037 U	0.028 U	0.021 U	
T4S1MW10-GW-1	9/1/2004	0.2 U	0.39 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	
T4S1MW10-GW-1	2/4/2005	0.10 U	0.065 U	0.048 U	0.090 U	0.037 U	0.028 U	0.021 U	
Screening	EPA AWQC		-		-	**	••		0.000064
Levels	Eco Criteria		0.28	0.58	0.053	0.081	0.033	94	0.014
	EPA MCL	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5

- 1. PCBs = Polychlorinated Biphenyls by EPA Method 8082.
- 2. μg/L = Micrograms per liter.
- 3. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- 4. Data from Terminal 4 Slip 1 Remedial Investigation.
- EPA AWQC = EPA National Recommended Water Quality Criteria: 2002 Human Health for Consumption of Fish.
- Eco Criteria = EPA National Recommended Water Quality Criteria: 2002 for CCC Freshwater Biota (noted with^a). Where CCC values are not available, Oregon Department of Environmental Quality Leve Screening Level Values (SLVs) for Surface Water Aquatic are listed.
- 7. EPA MCL = EPA Maximum Contaminant Level.

TABLE 16 GROUNDWATER CHEMISTRY RESULTS: PESTICIDES

ROGERS TERMINAL VICINITY

									Pesti	cides (µg/L)								
Sample ID:	Date Sampled:	alpha-BHC	gamma-BHC (Lindane)	delta-BHC	Heptachlor	Aldrin	Heptachlor Epoxide	Endosuifan I	alpha- Chlordane	Dieldrin	4,4'-DDE	Endrin	Endosulfan II	4,4'-DDD	Endrin Aldehyde	4,4'-DDT	Endrin Ketone	Methoxychlor
T4S1MW09-GW-1	04/20/2004	0.012 U	0.012 U	0.012 U	0.012 U	0.013 U	0.012 U	0.012 U	ND U	0.012 U	0.012 U	0.012 U	0.0015	0.012 U	0.012 U	0.012 U	0.012 U	0.012 U
T4S1MW09-GW-1	9/1/2004	0.0097 U	0.0097 U	0.0097 U	0.0097 U	0.0097 U	0.0097 Ui	0.0097 ∪	0.0097 U	0.0097 U	0.0097 ∪	0.0097 U	0.0097 U	0.0097 U	0.0097 U	0.0097 ∪	0.0097 U	0.0097 U
T4S1MW09-GW-1	2/3/2005	0.0049 U	0.0022 U	0.0015 U	0.0039 U	0.0018 U	0.0012 U	0.00069 Ui	0.0013 U	0.0011 Ui	0.0012 Ui	0.0015 U	0.0019 U	0.00082 U	0.0012 U	0.0030 J	-	0.0015 U
T4S1MW10-GW-1	04/19/2004	0.012 U	0.012 U	0.012 U	0.012 U	0.013 U	0.012 U	0.012 U	0.013 U	0.0044 JP	0.012 U	0.012 U	0.012 U	0.012 U	0.012 U	0.012 U	0.012 U	0.012 U
T4S1MW10-GW-1	9/1/2004	0.0097 ∪	0.0097 U	0.0097 ∪	0.0097 U	0.0097 U	0.0097 U	0.0097 U	0.0097 U	0.0097 U	0.0097 U	0.0097 U	0.0097 U	0.0097 U	0.0097 U	0.0097 ∪	0.0097 U	0.0097 ∪
T4S1MW10-GW-1	2/9/2005	0,0049 U	0.0022 U	0.0015 U	0.0039 U	0.0018 U	0.0012 U	0.0011 Ui	0.0013 U	0.00067 U	0.00069 U	0.0015 U	0.0097 Ui	0.00082 U	0.0012 U	0.0020 U	-	0.0015 U
Screening	EPA AWQC	0.0049	0.063	_	7.9E-05	0.00005	0.000039	89	0.00081	5.4E-05	0.00022	0.81	89	0.00031	0.3	0.00022	_	-
Levels	Eco Criteria	2.2	0.08	-	0.0038	0.06 *	0.0038 *	0.056 %	0.0043 ª	0.056	-	0.036 ª	0.056 a.	0.001	-	0.001	_	0.03
	EPA MCL		0.2	-	0.4	-	0.2	_	2	-		2	-					40


- 1. Only detected compounds are reported in the table.
- 2. Organochlorine Pesticides by EPA Method 8081A. Organophosphorus Pesticides by EPA Method 8141A.
- 3. µg/L = Micrograms per liter.
- 4. = Not analyzed.
- 5. J = The result is an estimated concentration that is less than the method reporting limit (MRL) but greater than or equal to the method detection limit (MDL).
- 6. U = The compound was analyzed for but was not detected at or above the MRU/MDL. The value presented is the MRL.
- 7. i = The MRL/MDL was raised due to a chromatographic interference.
- 8. P = The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 25 percent between the two analytical results.
- 9. Data from Terminal 4 Slip 1 Remedial Investigation.
- EPA AWQC = EPA National Recommended Water Quality Criteria: 2002 Human Health for Consumption of Fish.
- 11. Eco Criteria = EPA National Recommended Water Quality Criteria: 2002 for CCC Freshwater Biota (noted with*). Where CCC values are not available, Oregon Department of Environmental Quality Leve Screening Level Values (SLVs) for Surface Water Aquatic are listed.
- 12. EPA MCL = EPA Maximum Contaminant Level.


TABLE 17 GROUNDWATER CHEMISTRY RESULTS: METALS

ROGERS TERMINAL VICINITY

								Total Metals (µg/L)						
Sample ID:	Date Sampled:	Antimony	Arsenic	Beryllium	Cadmium	Chromium	Copper	Lead	Mercury	Nickel	Selenium	Silver	Thallium	Zinc
T4S1MW09-GW-1	9/1/2004	0.05 U	8.3	0.02 U	0.02 U	0.23	0.52	0.016 B	0.04 B	3.36	0.4 B	0.02 U	0.009 B	0.8
T4S1MW09-GW-1	2/9/2005	0.03 B	11.2	0.015 B	0.069	2.65	1.30	0.190	0.04 U	5.49	0.2 U	0.027	0.008 B	2.6
T4S1MW10-GW-1	9/1/2004	0.05 U	0.6	0.024	0.02 U	0.6	1.9	0.156	0.05 B	5.7	0.3 B	0.02 U	0.004 B	2.3
T4S1MW10-GW-1	2/4/2005	0.02 ป	0.4 B	0.006 U	0.06	0.81	0.62	0.046	0.05 B	3.6	0.3 B	0.009 U	0.004 U	5.5
							Di	ssolved Metals (µg	/L)					
Sample ID:	Date Sampled:	Antimony	Arsenic	Beryllium	Cadmium	Chromium	Соррег	Lead	Mercury	Nickel	Selenium	Silver	Thailium	Zinc
T4S1MW09-GW-1	9/1/2004	0.05 U	8.6	0.02 U	0.02 U	0.57	0.52	0.02 U	0.2 U	3.39	10	0.02 U	0.007 B	1
T4S1MW09-GW-1	2/9/2005	0.02 U	9.7	0.006 U	0.053	0.91	0.41	0.063	0.04 U	5.45	0.2 ∪	0.009 U	0.007 U	1.1
T4S1MW10-GW-1	9/1/2004	0.05 ປ	0.3 B	0.02 U	0.02 U	0.51	1.37	0.042	0.05 B	6.07	0.4 B	0.02 U	0.02 U	1
T4S1MW10-GW-1	2/4/2005	0.02 U	0.4 B	0.006 U	0.04	0.16 B	0.50	U e00.0	0.06 B	3.5	0.3 B	0.009 U	0.004 U	5.5
Screening	EPA AWQC	640	0.14	-		-				4,600	4,200	-	6.3	26,000
Levels	Eco Criteria	1,600	150 ª	5.3	0.25 a	74 ^{IR.} , 11 ^{VI.}	9*	2.5	0.77 *	52 ª	5 *	0.12	40	120 *
	EPA MCL		50	4	5	100	1,300	15	2		50	-	2	

- 1. Total/Dissolved Metals using EPA 6000-7000 Series Methods.
- 2. μg/L = Micrograms per liter.
- B = The result is an estimated concentration that is less than the MRL but greater than or equal to the method detection limit (MDL).
- 4. U = The compound was analyzed for but was not detected at or above the MRL/MDL. The value presented is the MRL.
- 5. Data from Terminal 4 Slip 1 Remedial Investigation.
- EPA AWQC = EPA National Recommended Water Quality Criteria: 2002 Human Health for Consumption of Fish.
- Eco Criteria = EPA National Recommended Water Quality Criteria: 2002 for CCC Freshwater Biota (noted with*). Where CCC values are not available, Oregon Department of Environmental Quality Leve Screening Level Values (SLVs) for Surface Water Aquatic are listed.
- 8. EPA MCL = EPA Maximum Contaminant Level.
- 9, III. = SLV for Chromium III.
- 10. VL = SLV for Chromium VI





Project Name: Rogers Shipping & Terminal - Terminal 4 **Project Number:** 1096-00

Location:

Client Name: Port of Portland Portland, Oregon

Photo No: 1

May 2005 Photo Date:

Orientation: West

Description:

Painted metal siding on eastern

building.





Photo No: 2

Photo Date: May 2005

Orientation: West

Description:

Contents of flammable cabinet in western building.



Page 1 of 6

Project Name: Rogers Shipping & Terminal - Terminal 4

Project Number: 1096-00

Client Name: Port of Portland Location:

Portland, Oregon

Photo No: 3

Photo Date:

May 2005

Orientation:

East

Description:

Sandblasting machine in western building.





Photo No: 4

May 2005 Photo Date:

Orientation: East

Description:

Parts washer and hydraulic hoist located in western building of Rogers Terminal & Shipping facility.



Project Name: Rogers Shipping & Terminal - Terminal 4

Project Number: 1096-00

Location:

Client Name: Port of Portland Portland, Oregon

5 **Photo No:**

May 2005 Photo Date:

Orientation: Southwest

Description:

Hydraulic hoist located in western building of Rogers Terminal & Shipping facility.




6 **Photo No:**

Photo Date: May 2005

Orientation: West

Description:

Outside storage area at Rogers Terminal & Shipping.



Project Name: Rogers Shipping & Terminal - Terminal 4 **Project Number:** 1096-00

Location:

Client Name: Port of Portland Portland, Oregon

Photo No: 7

May 2005 Photo Date:

Orientation: Southwest

Description:

Outside storage area at Rogers Terminal & Shipping.





Photo No: 8

Photo Date: May 2005

Orientation: Southeast

Description:

Historical UST location.



Project Name: Rogers Shipping & Terminal - Terminal 4

Project Number: 1096-00

Location:

Client Name: Port of Portland Portland, Oregon

Photo No: 9

Photo Date:

May 2005

Orientation: Northeast

Description:

Location of former gasoline pump island.





Photo No: 10

May 2005 Photo Date:

Orientation: Northwest

Description:

Historical drum storage area north of western building.



Project Name: Rogers Shipping & Terminal - Terminal 4 **Project Number:** 1096-00

Location:

Client Name: Port of Portland Portland, Oregon


Photo No: 11


Photo Date: May 2005

Orientation: West

Description:

Area of tire and motor oil dumping northeast of eastern building.





701 Bozart	recon 97217 Service 50	3.286.83 00.367.8	52 894	Date:		3952 2-27 135	-0	5
General Services	ess City State Zip County	0932 OK	g Address	Por	756 7/m		Nait 1 9	1209
Consign Destina	1000 1100(350)(3 41.17	721	Billin	Check#		P0#		
धि Via Car				Profile D	Date: /	Had	ed	AP No.
Driver:	Ace 9 Truck # 695/ Miles Run:			Load Ti	cket #			
Gal. Brl.	Description	Sniffe P / F	CDT	pH	Flash Point	Rate per Gal./Brl	Rate per Hour	Charge
1	Uted Oil: 55 gd.	P	240	Olla				25.0
7	COTKIT							20
7	Stop Change				·			55°
	Le Hand CE a Attached							
	Letter of CCO / "							
er.	* OR PER JAD							
Above ma	terial being transported for Recycling EPA# 1)	6			Total:			

Customer warrants that the waste petroleum products being transferred by the above collector do not contain any contaminants including, without limitation, pesticides, chlorinated solvents at concentrations greater than 1000 PPM, PCBs at concentrations greater than 2 PPM (or 50 PPM with Analytical), or any other material classified as hazardous waste by 40 CFR part 261, Subparts C and D (implementing the federal Resource Conservation and Recovery Act), or by any equivalent state hazardous substance classification program. Should Laboratory tests find this waste not in compliance) with 40 CFR Part 261, customer (generator) agrees to pay for all disposal costs incurred.

SIGNED & Marille MANCE

DATE: 2-21-05

1 2	Generator Name Rogers Terminal: Shipping Location Terminal 4 - Por it Portland
3	Generator Fills Out Waste/Material Profile (One completed profile per product)
	Description. Used Automotive Oil OIY Used Oil DMachine Lubricating Oil DMachine Too! Cutting and/or Cooling Fluids
5	(including used solutions)containing at least 1% petroleum □ Hydraulic Oil □ Brake Fluid Refrigeration Oil □ Fuel Filters □
6	Oil Filters □ Antifreeze□ Oil Used as a Non-Contact Heat Transfer Media□ Solvent□
7	Unused Fuels and Type:Description(where and how generated)
8	Water/Petroleum Mixtures: Type
9	- · · · · · · · · · · · · · · · · · · ·
10	Transformer Oil PCB under 2PPM ☐ PCBs under 50PPM ☐ Date tested Tests attached ☐
11	Generator hereby certifies that no dilution of oil containing PCBs has occurred below any regulatory threshold :
12	Signed:
13	Oily Solids: Tank Sludge 🗆 Sump Sludge 🗈 Contaminated Soil 🗅 Spill Cleanup Material 🗅
14	Other (Specify): Cean Oil Attach all pertinent documents
15	
16	Has generator mixed solvent with any hazardous waste? Yes □ No□ If yes, Stop Cail Supervisor
17	For all wastes or materials,provide the following information: Field Data
18	Sniffer Test Passed Failed Date Tested 221-W Clor-D-Tect Test Results 2400 PPM Date Tested 22104PH
19	Is Material Mixed With Hazardous Waste?Yes 🗆 No 🗷 If yes, Stop call Supervisor
20	Corrosive?Yes No Reactive? Yes No Toxic? Yes No Elisted?
21	List All Pertinent Information(Describe process of waste generation in detail) Attach all Documentation
22	including all MSDS sheets & test results; Used Oils from Maintenance and repair
23	lation a test to the facility of the same in the
24	from gear oil coving high COT result. Letter of CEG
25	attacked, OK per JAO.
25	
27	
28	
29	Facility E.P.A. REG # No HW Generator Status: LQG SQG CEG
30	Lette Attacheel
3.	Certification & Guarantee
3;	· I
33	and the contract of the contra
34	-
36	
3	I hereby guarantee to pay all costs paceasary for proper analysis, transportation, storage and disposal
31	
4	
4	Is Waste/Material Acceptable for Processing?: Yes No No Explanation:
-	2 Accepted D Signed Title Date
	Rejected Reason
-	Returned to Generator? Yes D No D Transported To



Londers in Recycling

CEG CERTIFICATION

State and Federal hazardous waste regulations define a Conditionally Exempt Generator (CEG) as a hazardous waste generator that generates, in one month, no more than 100 kilograms (220 pounds) of hazardous waste or 2.2 pounds of acutely hazardous waste. Additionally, to be a Conditionally Exempt Generator, a generator must not at any time accumulate more than 2200 pounds of hazardous waste on site. Generators that do not meet these requirements are no longer defined as Conditionally Exempt Generators and must comply with regulations for Small Quantity or Large Quantity Generators.

Under penalty of law, I certify that myself, or my organization complies with all requirements for Conditionally Exempt Generator Status.

Signature:

Date: 2-21-04

Please check one of the boxes below:

I do have an EPA Registration Number. The number is: